

TE
CH
NI
CA
L
L
I
GH
T
I
N
G

20
22

Catalogue **20**
22

Home / Business / Garden / Workshop

www.eko-light.com www.b2b.eko-light.com +48 666 503 333 biuro@eko-light.com

Kim jesteśmy? Who We are?



MILAGRO

Mad.Sit



O FIRMIE

Marka E-Light jest obecnie liderem na rynku oświetlenia technicznego. Taką pozycję udało się zbudować dzięki 10-letniej, ciężkiej pracy. Jej rezultatem są produkty wyróżniające się ponadprzeciętną jakością oraz funkcjonalnością.

Oferta produktowa marki jest bardzo szeroka, aby sprostać potrzebom inwestorów. Jej częścią jest oświetlenie techniczne, różnego rodzaju źródła światła, paski LED i akcesoria, dekoracje świetlne, a także artykuły wentylacyjne.

ABOUT COMPANY

E-Light brand is the leader on technical lighting market. We managed to reach this position thanks to ten years of hard work and dedication. Now we are able to offer you wide range of good quality functional products which meet the needs of various kinds of customers.

Our assortment is not only technical lighting such as louvre fittings, LED floodlights or LED panels but also different kinds of LED bulbs and tubes, LED strips and accessories, decoration lights or even ventilation products.

www.eko-light.com
biuro@eko-light.com
+48 666 503 333





Nasze inne katalogi produktowe Our other product catalogs

Milagro - 2021

/PL/ Standardowa kolekcja marki MILAGRO, lampy LED, lampy tradycyjne.

/EN/ The standard MILAGRO collection, LED lamps, traditional lamps.



Milagro - 2022 Nowości

/PL/ Kolekcja nowości na rok 2022, katalog wydany na początku roku 2022.

/EN/ New collection for 2022, catalog released at the beginning of 2022.



ROTONDA ML7943

HIGH BAY HIGH BAY



| | | | | | |
|---------------|---|-------------|-----------------|--------------|--------------------------|
| EK1960 | ▶ | 150W | 12000 lm | 4000K | IP44 |
| No. Art. | | Power | Luminous flux | Colour | Internal Protection (IP) |

| | | | | | |
|---------------|---|-------------|-----------------|--------------|--------------------------|
| EK1977 | ▶ | 150W | 12000 lm | 6500K | IP44 |
| No. Art. | | Power | Luminous flux | Colour | Internal Protection (IP) |

| | | | | | |
|---------------|---|-------------|-----------------|--------------|--------------------------|
| EK1749 | ▶ | 200W | 16000 lm | 4000K | IP44 |
| No. Art. | | Power | Luminous flux | Colour | Internal Protection (IP) |

| | | | | | |
|---------------|---|-------------|-----------------|--------------|--------------------------|
| EK1984 | ▶ | 200W | 16000 lm | 6500K | IP44 |
| No. Art. | | Power | Luminous flux | Colour | Internal Protection (IP) |



NAŚWIETLACZE (KOLOR CZARNY) FLOODLIGHTS (BLACK COLOUR)



| | | | | | |
|---------------|---|----------------|---------------|--------------|--------------------------|
| EKN597 | ▶ | 10W=55W | 800 lm | 3000K | IP65 |
| No. Art. | | Power | Luminous flux | Colour | Internal Protection (IP) |

| | | | | | |
|---------------|---|----------------|---------------|--------------|--------------------------|
| EKN958 | ▶ | 10W=55W | 800 lm | 6000K | IP65 |
| No. Art. | | Power | Luminous flux | Colour | Internal Protection (IP) |

| | | | | | | | |
|---------------|---|----------------|---------------|--------------|--------------------------|-----------------|---------------|
| EKN658 | ▶ | 10W=55W | 800 lm | 3000K | IP65 | | |
| No. Art. | | Power | Luminous flux | Colour | Internal Protection (IP) | Twilight Sensor | Motion Sensor |

| | | | | | | | |
|---------------|---|----------------|---------------|--------------|--------------------------|-----------------|---------------|
| EKN455 | ▶ | 10W=55W | 800 lm | 4500K | IP65 | | |
| No. Art. | | Power | Luminous flux | Colour | Internal Protection (IP) | Twilight Sensor | Motion Sensor |

| | | | | | | | |
|---------------|---|----------------|---------------|--------------|--------------------------|-----------------|---------------|
| EKN965 | ▶ | 10W=55W | 800 lm | 6500K | IP65 | | |
| No. Art. | | Power | Luminous flux | Colour | Internal Protection (IP) | Twilight Sensor | Motion Sensor |





NAŚWIETLACZE (KOLOR CZARNY) FLOODLIGHTS BLACK COLOUR



| | | | | | |
|---------------|---|-----------------|----------------|--------------|--------------------------|
| EKN665 | ▶ | 20W=103W | 1600 lm | 3000K | IP65 |
| No. Art. | | Power | Luminous flux | Colour | Internal Protection (IP) |

| | | | | | |
|---------------|---|-----------------|----------------|--------------|--------------------------|
| EKN972 | ▶ | 20W=103W | 1600 lm | 6000K | IP65 |
| No. Art. | | Power | Luminous flux | Colour | Internal Protection (IP) |



| | | | | | | | |
|---------------|---|-----------------|----------------|--------------|--------------------------|-----------------|---------------|
| EKN641 | ▶ | 20W=103W | 1600 lm | 3000K | IP65 | | |
| No. Art. | | Power | Luminous flux | Colour | Internal Protection (IP) | Twilight Sensor | Motion Sensor |

| | | | | | | | |
|---------------|---|-----------------|----------------|--------------|--------------------------|-----------------|---------------|
| EKN989 | ▶ | 20W=103W | 1600 lm | 6000K | IP65 | | |
| No. Art. | | Power | Luminous flux | Colour | Internal Protection (IP) | Twilight Sensor | Motion Sensor |



| | | | | | |
|---------------|---|-----------------|----------------|--------------|--------------------------|
| EKN009 | ▶ | 30W=150W | 2400 lm | 6000K | IP65 |
| No. Art. | | Power | Luminous flux | Colour | Internal Protection (IP) |

| | | | | | |
|---------------|---|-----------------|----------------|--------------|--------------------------|
| EKN596 | ▶ | 30W=150W | 2400 lm | 6000K | IP65 |
| No. Art. | | Power | Luminous flux | Colour | Internal Protection (IP) |



| | | | | | | | |
|---------------|---|-----------------|----------------|--------------|--------------------------|-----------------|---------------|
| EKN016 | ▶ | 30W=150W | 2400 lm | 6000K | IP65 | | |
| No. Art. | | Power | Luminous flux | Colour | Internal Protection (IP) | Twilight Sensor | Motion Sensor |

| | | | | | |
|---------------|---|-----------------|----------------|--------------|--------------------------|
| EKN425 | ▶ | 50W=250W | 4000 lm | 6000K | IP65 |
| No. Art. | | Power | Luminous flux | Colour | Internal Protection (IP) |

| | | | | | | | |
|---------------|---|-----------------|----------------|--------------|--------------------------|-----------------|---------------|
| EKN532 | ▶ | 50W=250W | 4000 lm | 6000K | IP65 | | |
| No. Art. | | Power | Luminous flux | Colour | Internal Protection (IP) | Twilight Sensor | Motion Sensor |



ANGLE: 120°
TIME: 2-300 sec
LUX: 2-50

ANGLE: 120°
TIME: 2-300 sec
RANGE: 1-12m

NAŚWIETLACZE (KOLOR CZARNY) FLOODLIGHTS BLACK COLOUR



| | | | | | |
|----------------|---|-------------|----------------|--------------|--------------------------|
| EKN6677 | ▶ | 100W | 8000 lm | 3000K | IP65 |
| No. Art. | | Power | Luminous flux | Colour | Internal Protection (IP) |

| | | | | | |
|----------------|---|-------------|----------------|--------------|--------------------------|
| EKN6684 | ▶ | 100W | 8000 lm | 4500K | IP65 |
| No. Art. | | Power | Luminous flux | Colour | Internal Protection (IP) |

| | | | | | |
|----------------|---|-------------|-----------------|--------------|--------------------------|
| EKN2110 | ▶ | 100W | 12000 lm | 6000K | IP65 |
| No. Art. | | Power | Luminous flux | Colour | Internal Protection (IP) |

| | | | | | |
|----------------|---|-------------|-----------------|--------------|--------------------------|
| EKN6691 | ▶ | 150W | 12000 lm | 3000K | IP65 |
| | | Power | Luminous flux | Colour | Internal Protection (IP) |



| | | | | | |
|----------------|---|-------------|-----------------|--------------|--------------------------|
| EKN6707 | ▶ | 150W | 12000 lm | 4500K | IP65 |
| No. Art. | | Power | Luminous flux | Colour | Internal Protection (IP) |

| | | | | | |
|----------------|---|-------------|-----------------|--------------|--------------------------|
| EKN2127 | ▶ | 150W | 12000 lm | 6000K | IP65 |
| No. Art. | | Power | Luminous flux | Colour | Internal Protection (IP) |

| | | | | | |
|----------------|---|-------------|-----------------|--------------|--------------------------|
| EKN6714 | ▶ | 200W | 16000 lm | 3000K | IP65 |
| No. Art. | | Power | Luminous flux | Colour | Internal Protection (IP) |

| | | | | | |
|----------------|---|-------------|-----------------|--------------|--------------------------|
| EKN6721 | ▶ | 200W | 16000 lm | 4500K | IP65 |
| No. Art. | | Power | Luminous flux | Colour | Internal Protection (IP) |

| | | | | | |
|----------------|---|-------------|-----------------|--------------|--------------------------|
| EKN2134 | ▶ | 200W | 16000 lm | 6000K | IP65 |
| No. Art. | | Power | Luminous flux | Colour | Internal Protection (IP) |

NAŚWIETLACZE (KOLOR BIAŁE) FLOODLIGHTS WHITE COLOUR



| | | | | | |
|---------------|---|------------|---------------|--------------|--------------------------|
| MLN700 | ▶ | 10W | 800 lm | 4000K | IP65 |
| No. Art. | | Power | Luminous flux | Colour | Internal Protection (IP) |

| | | | | | |
|---------------|---|------------|----------------|--------------|--------------------------|
| MLN724 | ▶ | 20W | 1600 lm | 4000K | IP65 |
| No. Art. | | Power | Luminous flux | Colour | Internal Protection (IP) |

| | | | | | |
|---------------|---|------------|----------------|--------------|--------------------------|
| MLN748 | ▶ | 30W | 2400 lm | 4000K | IP65 |
| No. Art. | | Power | Luminous flux | Colour | Internal Protection (IP) |

| | | | | | | | |
|----------------|---|------------|---------------|--------------|--------------------------|-----------------|---------------|
| EKN3476 | ▶ | 10W | 800 lm | 4000K | IP65 | | |
| No. Art. | | Power | Luminous flux | Colour | Internal Protection (IP) | Twilight Sensor | Motion Sensor |

| | | | | | | | |
|----------------|---|------------|----------------|--------------|--------------------------|-----------------|---------------|
| EKN3315 | ▶ | 20W | 1600 lm | 4000K | IP65 | | |
| No. Art. | | Power | Luminous flux | Colour | Internal Protection (IP) | Twilight Sensor | Motion Sensor |

| | | | | | | | |
|----------------|---|------------|----------------|--------------|--------------------------|-----------------|---------------|
| EKN3322 | ▶ | 30W | 2400 lm | 4000K | IP65 | | |
| No. Art. | | Power | Luminous flux | Colour | Internal Protection (IP) | Twilight Sensor | Motion Sensor |





PASKI LED - ZESTAWY LED STRIP KITS

SPECIFICATION TO 0.5m

EKZ5780 ▶ No. Art. **60** LED **IP20** Internal Protection (IP) **3m Total** Length **3000K** Colour **2,4W** Power **240 lm** Luminous flux

EKZ5797 ▶ No. Art. **60** LED **IP20** Internal Protection (IP) **3m Total** Length **6000K** Colour **10W** Power **1000 lm** Luminous flux

SPECIFICATION TO 0.5m

EKZ0003 ▶ No. Art. **60** LED **IP65** Internal Protection (IP) **3m Total** Length **3000K** Colour **2,4W** Power **240 lm** Luminous flux

EKZ0010 ▶ No. Art. **60** LED **IP65** Internal Protection (IP) **3m Total** Length **6000K** Colour **2,6W** Power **240 lm** Luminous flux

EKZ2857 ▶ No. Art. **IP65** Internal Protection (IP) **3m** Length **RGB** Colour **18W** Power

EKZ2291 ▶ No. Art. **IP65** Internal Protection (IP) **5m** Length **RGB** Colour **24W** Power

EKZ0637 ▶ No. Art. **2,4W** Power **180lm** Luminous flux **1m** Length **4000K** Colour **DC 3,7V LITHIUM** Battery **Motion Sensor**

EKZ0620 ▶ No. Art. **2,4W** Power **180lm** Luminous flux **1m** Length **4000K** Colour **DC 6V 4xAAA** Battery **Motion Sensor** **IP65** IP

EKZ0668 ▶ No. Art. **4,2W** Power **540lm** Luminous flux **3m** Length **4000K** Colour **1,5A** Adapter **Touch Sensor**

EKZ0644 ▶ No. Art. **2,4W** Power **180lm** Luminous flux **1m** Length **4000K** Colour **DC 6V 4xAAA** Battery **Hand Wave Sensor**

SPECIFICATION TO 0.5m

EKZ0651 ▶ No. Art. **2,6W** Power **240lm** Luminous flux **3m** Length **4000K** Colour **1,5A** Adapter **Hand Wave Sensor**



EKZ2857

Mode: R/G/B



PASKI LED LED STRIP

| | | | | | | | | | | | | | | | | | |
|--|-----------------------------|-----------------------|--------------------|--------------|-------------------------|-----------------|--------------------|-----------------|--|-----------------------------|-----------------------|--------------------|--------------|-------------------------|-----------------|--------------------|-----------------|
| | EKPL1819 No. Art. | 24W= 120W Power | 300 LED Leds | 5m Length | IP65 Protection (IP) | 3000K Colour | SMD 2835 SMD | 12V~ Voltage | | EKPL1808 No. Art. | 24W= 120W Power | 300 LED Leds | 5m Length | IP20 Protection (IP) | 3000K Colour | SMD 2835 SMD | 12V~ Voltage |
| | EKPL1820 No. Art. | 24W= 120W Power | 300 LED Leds | 5m Length | IP65 Protection (IP) | 6000K Colour | SMD 2835 SMD | 12V~ Voltage | | EKPL6207 No. Art. | 24W= 120W Power | 300 LED Leds | 5m Length | IP20 Protection (IP) | 4000K Colour | SMD 2835 SMD | 12V~ Voltage |
| | EKPL1825 No. Art. | 48W= 240W Power | 600 LED Leds | 5m Length | IP65 Protection (IP) | 3000K Colour | SMD 2835 SMD | 12V~ Voltage | | EKPL1809 No. Art. | 24W= 120W Power | 300 LED Leds | 5m Length | IP20 Protection (IP) | 6000K Colour | SMD 2835 SMD | 12V~ Voltage |
| | EKPL1826 No. Art. | 48W= 240W Power | 600 LED Leds | 5m Length | IP65 Protection (IP) | 6000K Colour | SMD 2835 SMD | 12V~ Voltage | | EKPL1823 No. Art. | 48W= 240W Power | 600 LED Leds | 5m Length | IP20 Protection (IP) | 3000K Colour | SMD 2835 SMD | 12V~ Voltage |
| | EKPL1821 No. Art. | 72W= 358W Power | 300 LED Leds | 5m Length | IP65 Protection (IP) | 3000K Colour | SMD 5050 SMD | 12V~ Voltage | | EKPL6205 No. Art. | 48W= 240W Power | 600 LED Leds | 5m Length | IP20 Protection (IP) | 4000K Colour | SMD 2835 SMD | 12V~ Voltage |
| | EKPL1822 No. Art. | 72W= 358W Power | 300 LED Leds | 5m Length | IP65 Protection (IP) | 6000K Colour | SMD 5050 SMD | 12V~ Voltage | | EKPL1824 No. Art. | 48W= 240W Power | 600 LED Leds | 5m Length | IP20 Protection (IP) | 6000K Colour | SMD 2835 SMD | 12V~ Voltage |
| | | | | | | | | | | EKPL1817 No. Art. | 72W= 358W Power | 300 LED Leds | 5m Length | IP20 Protection (IP) | 3000K Colour | SMD 5050 SMD | 12V~ Voltage |
| | | | | | | | | | | EKPL6204 No. Art. | 72W= 358W Power | 300 LED Leds | 5m Length | IP20 Protection (IP) | 4000K Colour | SMD 5050 SMD | 12V~ Voltage |
| | | | | | | | | | | EKPL1818 No. Art. | 72W= 358W Power | 300 LED Leds | 5m Length | IP20 Protection (IP) | 6000K Colour | SMD 5050 SMD | 12V~ Voltage |

PASKI LED 50m LED STRIP 50m

SPECIFICATION TO 1m

| | | | | | | | | | |
|--|----------------------------|-----------------|---------------------|---------------|---|-----------------|-------------|-----------------|---------------------------|
| | EKPL933 No. Art. | 4,8W Power/m | 60 LED Leds/m | 50m Length | IP 20 Internal Protection (IP) | 3000K Colour | 2835 SMD | 12V~ Voltage | 500lm Luminous flux |
|--|----------------------------|-----------------|---------------------|---------------|---|-----------------|-------------|-----------------|---------------------------|

SPECIFICATION TO 1m

| | | | | | | | | | |
|--|----------------------------|-----------------|---------------------|---------------|---|-----------------|-------------|-----------------|---------------------------|
| | EKPL940 No. Art. | 4,8W Power/m | 60 LED Leds/m | 50m Length | IP 20 Internal Protection (IP) | 4000K Colour | 2835 SMD | 12V~ Voltage | 500lm Luminous flux |
|--|----------------------------|-----------------|---------------------|---------------|---|-----------------|-------------|-----------------|---------------------------|

SPECIFICATION TO 1m

| | | | | | | | | | |
|--|----------------------------|-----------------|---------------------|---------------|---|-----------------|-------------|-----------------|---------------------------|
| | EKPL957 No. Art. | 4,8W Power/m | 60 LED Leds/m | 50m Length | IP 20 Internal Protection (IP) | 6500K Colour | 2835 SMD | 12V~ Voltage | 500lm Luminous flux |
|--|----------------------------|-----------------|---------------------|---------------|---|-----------------|-------------|-----------------|---------------------------|

SPECIFICATION TO 1m

| | | | | | | | | | |
|--|----------------------------|-------------------------|----------------------|---------------|---|-----------------|-------------|-----------------|----------------------------|
| | EKPL964 No. Art. | 9,6W= 48W Power/m | 120 LED Leds/m | 50m Length | IP 20 Internal Protection (IP) | 3000K Colour | 2835 SMD | 12V~ Voltage | 1000lm Luminous flux |
|--|----------------------------|-------------------------|----------------------|---------------|---|-----------------|-------------|-----------------|----------------------------|

SPECIFICATION TO 1m

| | | | | | | | | | |
|--|----------------------------|-------------------------|----------------------|---------------|---|-----------------|-------------|-----------------|----------------------------|
| | EKPL971 No. Art. | 9,6W= 48W Power/m | 120 LED Leds/m | 50m Length | IP 20 Internal Protection (IP) | 4000K Colour | 2835 SMD | 12V~ Voltage | 1000lm Luminous flux |
|--|----------------------------|-------------------------|----------------------|---------------|---|-----------------|-------------|-----------------|----------------------------|

SPECIFICATION TO 0.5m

| | | | | | | | | | |
|--|----------------------------|-----------------|----------------------|---------------|---|-----------------|-------------|-----------------|---------------------------|
| | EKPL427 No. Art. | 5.5W Power/m | 120 LED Leds/m | 50m Length | IP 20 Internal Protection (IP) | 6500K Colour | 2835 SMD | 12V~ Voltage | 500lm Luminous flux |
|--|----------------------------|-----------------|----------------------|---------------|---|-----------------|-------------|-----------------|---------------------------|

PASKI LED 100m LED STRIP 100m

SPECIFICATION TO 1m

| | | | | | | | | | |
|--|----------------------------|-------------------------|---------------------|----------------|---|-----------------|-------------|-----------------|---------------------------|
| | EKPL491 No. Art. | 4,8W= 24W Power/m | 60 LED Leds/m | 100m Length | IP 20 Internal Protection (IP) | 3000K Colour | 2835 SMD | 12V~ Voltage | 500lm Luminous flux |
|--|----------------------------|-------------------------|---------------------|----------------|---|-----------------|-------------|-----------------|---------------------------|

SPECIFICATION TO 1m

| | | | | | | | | | |
|--|----------------------------|-------------------------|---------------------|----------------|---|-----------------|-------------|-----------------|---------------------------|
| | EKPL514 No. Art. | 4,8W= 24W Power/m | 60 LED Leds/m | 100m Length | IP 20 Internal Protection (IP) | 4000K Colour | 2835 SMD | 12V~ Voltage | 500lm Luminous flux |
|--|----------------------------|-------------------------|---------------------|----------------|---|-----------------|-------------|-----------------|---------------------------|

SPECIFICATION TO 1m

| | | | | | | | | | |
|--|----------------------------|-------------------------|---------------------|----------------|---|-----------------|-------------|-----------------|---------------------------|
| | EKPL507 No. Art. | 4,8W= 24W Power/m | 60 LED Leds/m | 100m Length | IP 20 Internal Protection (IP) | 6000K Colour | 2835 SMD | 12V~ Voltage | 500lm Luminous flux |
|--|----------------------------|-------------------------|---------------------|----------------|---|-----------------|-------------|-----------------|---------------------------|

SPECIFICATION TO 1m

| | | | | | | | | | |
|--|----------------------------|-------------------------|----------------------|----------------|---|-----------------|-------------|-----------------|----------------------------|
| | EKPL521 No. Art. | 9,6W= 48W Power/m | 120 LED Leds/m | 100m Length | IP 20 Internal Protection (IP) | 3000K Colour | 2835 SMD | 12V~ Voltage | 1000lm Luminous flux |
|--|----------------------------|-------------------------|----------------------|----------------|---|-----------------|-------------|-----------------|----------------------------|

SPECIFICATION TO 1m

| | | | | | | | | | |
|--|-----------------------------|-------------------------|----------------------|----------------|---|-----------------|-------------|-----------------|----------------------------|
| | EKPL3599 No. Art. | 9,6W= 48W Power/m | 120 LED Leds/m | 100m Length | IP 20 Internal Protection (IP) | 4000K Colour | 2835 SMD | 12V~ Voltage | 1000lm Luminous flux |
|--|-----------------------------|-------------------------|----------------------|----------------|---|-----------------|-------------|-----------------|----------------------------|

SPECIFICATION TO 0.5m

| | | | | | | | | | |
|--|----------------------------|-----------------|----------------------|----------------|---|-----------------|-------------|-----------------|---------------------------|
| | EKPL426 No. Art. | 5.5W Power/m | 120 LED Leds/m | 100m Length | IP 20 Internal Protection (IP) | 6500K Colour | 2835 SMD | 12V~ Voltage | 500lm Luminous flux |
|--|----------------------------|-----------------|----------------------|----------------|---|-----------------|-------------|-----------------|---------------------------|

PASKI LED COB COB LED STRIP

| | | | | | | |
|--|-----------------------------|-------------|--------------------|-------------------------------|---|-----------------|
| | EKPL8306 No. Art. | 5W Power | 324 LED Leds | 5m Length | IP 20 Internal Protection (IP) | 3000K Colour |
| | | 2835 SMD | 12V~ Voltage | 550 lm Luminous flux | COB Type | |

| | | | | | | |
|--|-----------------------------|-------------|--------------------|---------------------------------|---|-----------------|
| | EKPL8307 No. Art. | 5W Power | 324 LED Leds | 5m Length | IP 20 Internal Protection (IP) | 4000K Colour |
| | | 2835 SMD | 12V~ Voltage | 580 lm/m Luminous flux | COB Type | |

| | | | | | | |
|--|-----------------------------|-------------|--------------------|---------------------------------|---|-----------------|
| | EKPL8308 No. Art. | 5W Power | 324 LED Leds | 5m Length | IP 20 Internal Protection (IP) | 6500K Colour |
| | | 2835 SMD | 12V~ Voltage | 600 lm/m Luminous flux | COB Type | |





PASKI LED PREMIUM PREMIUM LED STRIP



| | | | | | | | | | |
|---------------|---|--------------|-----------|---------|--------------------------|--------|------|---------|---------------|
| ML4749 | ▶ | 24W= 120W | 60 LED | 5m ↔ | IP 20 | 3000K | 2835 | 12V~ | 500 lm/m |
| No. Art. | | Power | Leds | Length | Internal Protection (IP) | Colour | SMD | Voltage | Luminous flux |

| | | | | | | | | | |
|---------------|---|--------------|-----------|---------|--------------------------|--------|------|---------|---------------|
| ML4748 | ▶ | 24W= 120W | 60 LED | 5m ↔ | IP 20 | 4000K | 2835 | 12V~ | 500 lm/m |
| No. Art. | | Power | Leds | Length | Internal Protection (IP) | Colour | SMD | Voltage | Luminous flux |

| | | | | | | | | | |
|---------------|---|--------------|-----------|---------|--------------------------|--------|------|---------|---------------|
| ML4747 | ▶ | 24W= 120W | 60 LED | 5m ↔ | IP 20 | 6000K | 2835 | 12V~ | 500 lm/m |
| No. Art. | | Power | Leds | Length | Internal Protection (IP) | Colour | SMD | Voltage | Luminous flux |



| | | | | | | | | | |
|---------------|---|--------------|-----------|---------|--------------------------|--------|------|---------|---------------|
| ML4752 | ▶ | 24W= 120W | 60 LED | 5m ↔ | IP 65 | 3000K | 2835 | 12V~ | 500 lm/m |
| No. Art. | | Power | Leds | Length | Internal Protection (IP) | Colour | SMD | Voltage | Luminous flux |

| | | | | | | | | | |
|---------------|---|--------------|-----------|---------|--------------------------|--------|------|---------|---------------|
| ML4751 | ▶ | 24W= 120W | 60 LED | 5m ↔ | IP 65 | 4000K | 2835 | 12V~ | 500 lm/m |
| No. Art. | | Power | Leds | Length | Internal Protection (IP) | Colour | SMD | Voltage | Luminous flux |

| | | | | | | | | | |
|---------------|---|--------------|-----------|---------|--------------------------|--------|------|---------|---------------|
| ML4750 | ▶ | 24W= 120W | 60 LED | 5m ↔ | IP 65 | 6000K | 2835 | 12V~ | 500 lm/m |
| No. Art. | | Power | Leds | Length | Internal Protection (IP) | Colour | SMD | Voltage | Luminous flux |



| | | | | | | | | | |
|---------------|---|--------------|------------|---------|--------------------------|--------|------|---------|---------------|
| ML4755 | ▶ | 48W= 240W | 120 LED | 5m ↔ | IP 20 | 3000K | 2835 | 12V~ | 1000 lm/m |
| No. Art. | | Power | Leds | Length | Internal Protection (IP) | Colour | SMD | Voltage | Luminous flux |

| | | | | | | | | | |
|---------------|---|--------------|------------|---------|--------------------------|--------|------|---------|---------------|
| ML4754 | ▶ | 48W= 240W | 120 LED | 5m ↔ | IP 20 | 4000K | 2835 | 12V~ | 1000 lm/m |
| No. Art. | | Power | Leds | Length | Internal Protection (IP) | Colour | SMD | Voltage | Luminous flux |

| | | | | | | | | | |
|---------------|---|--------------|------------|---------|--------------------------|--------|------|---------|---------------|
| ML4753 | ▶ | 48W= 240W | 120 LED | 5m ↔ | IP 20 | 6000K | 2835 | 12V~ | 1000 lm/m |
| No. Art. | | Power | Leds | Length | Internal Protection (IP) | Colour | SMD | Voltage | Luminous flux |



| | | | | | | | | | |
|---------------|---|--------------|------------|---------|--------------------------|--------|------|---------|---------------|
| ML4758 | ▶ | 48W= 240W | 120 LED | 5m ↔ | IP 65 | 3000K | 2835 | 12V~ | 1000 lm/m |
| No. Art. | | Power | Leds | Length | Internal Protection (IP) | Colour | SMD | Voltage | Luminous flux |

| | | | | | | | | | |
|---------------|---|--------------|------------|---------|--------------------------|--------|------|---------|---------------|
| ML4757 | ▶ | 48W= 240W | 120 LED | 5m ↔ | IP 65 | 4000K | 2835 | 12V~ | 1000 lm/m |
| No. Art. | | Power | Leds | Length | Internal Protection (IP) | Colour | SMD | Voltage | Luminous flux |

| | | | | | | | | | |
|---------------|---|--------------|------------|---------|--------------------------|--------|------|---------|---------------|
| ML4756 | ▶ | 48W= 240W | 120 LED | 5m ↔ | IP 65 | 6000K | 2835 | 12V~ | 1000 lm/m |
| No. Art. | | Power | Leds | Length | Internal Protection (IP) | Colour | SMD | Voltage | Luminous flux |






















| | | | | | | | | | |
|---------------|---|--------------|-----------|---------|--------------------------|--------|------|---------|---------------|
| ML4759 | ▶ | 36W= 180W | 30 LED | 5m ↔ | IP 65 | RGB | 5050 | 12V~ | 250 lm/m |
| No. Art. | | Power | Leds | Length | Internal Protection (IP) | Colour | SMD | Voltage | Luminous flux |



AKCESORIA / PASKI LED



























ACCESSORIES / LED STRIP



| | | | | | | | | | | | | | | | | |
|--|----------------------------|---|---------------------|------------------------------|---|---|----------------------------|---------------------|---------------------|---|---|-----------------------------|---------------------|--------------------------|--------------------------|--------------------------------|
|  | EKPZ686 No. Art. | ▶ | 8mm Size | |  | EKPZ005 No. Art. | ▶ | 8mm Size | L Model |  | EKPZ043 No. Art. | ▶ | 10mm Size | T Model | | |
|  | EKPZ693 No. Art. | ▶ | 10mm Size | |  | EKPZ012 No. Art. | ▶ | 10mm Size | L Model |  | EKPZ050 No. Art. | ▶ | 10mm Size | T Model | RGB Type | |
|  | EKPZ709 No. Art. | ▶ | 10mm Size | RGB Type |  | EKPZ029 No. Art. | ▶ | 10mm Size | L Model | RGB Type |  | EKPZ6114 No. Art. | ▶ | 8mm Size | + Model | |
|  | EKPZ716 No. Art. | ▶ | 8mm Size | CABLE x 1 Addition |  | EKPZ036 No. Art. | ▶ | 8mm Size | T Model |  | EKPZ067 No. Art. | ▶ | 10mm Size | + Model | | |
|  | EKPZ679 No. Art. | ▶ | 10mm Size | CABLE x 1 Addition | | | | | | | | | | | | |
|  | EKPZ723 No. Art. | ▶ | 10mm Size | CABLE x 1 Addition | RGB Type |  | EKPZ730 No. Art. | ▶ | 8mm Size | CABLE x 2 Addition |  | EKST1802 No. Art. | ▶ | 144W Max Power | RGB Controller | 433 MHz Radio Remote |
|  | EKPZ754 No. Art. | ▶ | 10mm Size | CABLE x 2 Addition | RGB Type |  | EKPZ747 No. Art. | ▶ | 10mm Size | CABLE x 2 Addition |  | EKST1801 No. Art. | ▶ | 72W Max Power | RGB Controller | IR Remote Controller |





ZASILACZE

POWER SUPPLIES

| | | | | | | | | | | | | |
|--|------------------------------|---|---------------------|---|----------------------------|---|-----------------------------|---|----------------------|---|----------------------------|---|
|  | EKZA5321 No. Art. | ▶ | 6W Power | IP20 Internal Protection (IP) | 51*27*22mm Size |  | EKZA5027 No. Art. | ▶ | 48W Power | IP44 Internal Protection (IP) | 155*55*32mm Size |  |
|  | EKZA5746 No. Art. | ▶ | 15W Power | IP44 Internal Protection (IP) | 98*38*25mm Size |  | EKZA558 No. Art. | ▶ | 48W Power | IP20 Internal Protection (IP) | 155*55*32mm Size |  |
|  | EKZA5559 No. Art. | ▶ | 15W Power | IP20 Internal Protection (IP) | 100*40*25mm Size |  | EKZA5532 No. Art. | ▶ | 60W Power | IP44 Internal Protection (IP) | 155*55*32mm Size |  |
|  | EKZA5034 No. Art. | ▶ | 15W Power | IP65 Internal Protection (IP) | 85*25*72mm Size |  | EKZA5560 No. Art. | ▶ | 60W Power | IP20 Internal Protection (IP) | 155*55*32mm Size |  |
|  | EKZA5240 No. Art. | ▶ | 25W Power | IP20 Internal Protection (IP) | 85*59*33mm Size |  | EKZA5003 No. Art. | ▶ | 60W Power | IP67 Internal Protection (IP) | 158*52*32mm Size |  |
|  | EKZA5755 No. Art. | ▶ | 30W Power | IP67 Internal Protection (IP) | 202*34*23mm Size |  | EKZA5366 No. Art. | ▶ | 100W Power | IP20 Internal Protection (IP) | 192*50*39mm Size |  |
|  | EKZA58350 No. Art. | ▶ | 24W Power | IP20 Internal Protection (IP) | 192*18*18mm Size |  | EKZA5373 No. Art. | ▶ | 150W Power | IP20 Internal Protection (IP) | 209*62*45mm Size |  |
|  | EKZA58351 No. Art. | ▶ | 36W Power | IP20 Internal Protection (IP) | 285*18*18mm Size |  | EKZA5525 No. Art. | ▶ | 250W Power | IP20 Internal Protection (IP) | 227*72*45mm Size |  |
|  | EKZA58352 No. Art. | ▶ | 60W Power | IP20 Internal Protection (IP) | 285*18*18mm Size |  | | | | | | |



PROFILE LED LED PROFILES



| | | | | |
|----------|--------|--------|------|-----------------|
| EKPR9320 | ▶ 1m | White | C | Caps Shade Hook |
| | Length | Colour | Type | Addition |

| | | | | |
|----------|--------|--------|------|-----------------|
| EKPR6511 | ▶ 1m | Silver | C | Caps Shade Hook |
| | Length | Colour | Type | Addition |

| | | | | |
|----------|--------|--------|------|-----------------|
| EKPR6350 | ▶ 1m | Black | C | Caps Shade Hook |
| | Length | Colour | Type | Addition |

| | | | | |
|----------|--------|--------|------|-----------------|
| EKPR0101 | ▶ 2m | Silver | C | Caps Shade Hook |
| | Length | Colour | Type | Addition |

| | | | | |
|----------|--------|--------|------|-----------------|
| EKPR1058 | ▶ 1m | White | D | Caps Shade Hook |
| | Length | Colour | Type | Addition |

| | | | | |
|----------|--------|--------|------|-----------------|
| EKPR6474 | ▶ 1m | Silver | D | Caps Shade Hook |
| | Length | Colour | Type | Addition |

| | | | | |
|----------|--------|--------|------|-----------------|
| EKPR6398 | ▶ 1m | Black | D | Caps Shade Hook |
| | Length | Colour | Type | Addition |

| | | | | |
|----------|--------|--------|------|-----------------|
| EKPR0088 | ▶ 2m | Silver | D | Caps Shade Hook |
| | Length | Colour | Type | Addition |

| | | | | |
|----------|--------|--------|------|-----------------|
| EKPR8774 | ▶ 1m | White | G | Caps Shade Hook |
| | Length | Colour | Type | Addition |

| | | | | |
|----------|--------|--------|------|-----------------|
| EKPR6559 | ▶ 1m | Silver | G | Caps Shade Hook |
| | Length | Colour | Type | Addition |

| | | | | |
|----------|--------|--------|------|-----------------|
| EKPR6367 | ▶ 1m | Black | G | Caps Shade Hook |
| | Length | Colour | Type | Addition |

| | | | | |
|----------|--------|--------|------|-----------------|
| EKPR0125 | ▶ 2m | Silver | G | Caps Shade Hook |
| | Length | Colour | Type | Addition |

| | | | | |
|----------|--------|--------|------|-----------------|
| EKPR1041 | ▶ 1m | White | Z | Caps Shade Hook |
| | Length | Colour | Type | Addition |

| | | | | |
|----------|--------|--------|------|-----------------|
| EKPR6481 | ▶ 1m | Silver | Z | Caps Shade Hook |
| | Length | Colour | Type | Addition |

| | | | | |
|----------|--------|--------|------|-----------------|
| EKPR6381 | ▶ 1m | Black | Z | Caps Shade Hook |
| | Length | Colour | Type | Addition |

| | | | | |
|----------|--------|--------|------|-----------------|
| EKPR0095 | ▶ 2m | Silver | Z | Caps Shade Hook |
| | Length | Colour | Type | Addition |

| | | | | |
|----------|--------|--------|------|-----------------|
| EKPR8767 | ▶ 1m | White | Y | Caps Shade Hook |
| | Length | Colour | Type | Addition |

| | | | | |
|----------|--------|--------|------|-----------------|
| EKPR6542 | ▶ 1m | Silver | Y | Caps Shade Hook |
| | Length | Colour | Type | Addition |

| | | | | |
|----------|--------|--------|------|-----------------|
| EKPR6336 | ▶ 1m | Black | Y | Caps Shade Hook |
| | Length | Colour | Type | Addition |

| | | | | |
|----------|--------|--------|------|-----------------|
| EKPR0118 | ▶ 2m | Silver | Y | Caps Shade Hook |
| | Length | Colour | Type | Addition |

PANELE LED LED PANELS



EKP1811

**30/30
cm**
Size

**18W=
82W**
Power

**1260
lm**
Luminous
flux

4000K
Colour



EKP2721

4pcs
Pcs

**Mounting
clips**
Metal

**EKP1811, EKP1812,
EKP183, EKP1077**

Mounting brackets compatible
with models



EKP1812

**30/60
cm**
Size

**24W=
116W**
Power

**1600
lm**
Luminous
flux

4000K
Colour



EKP6196

**60/60
cm**
Size

**Surface
Mounting**



EKP1813

**60/60
cm**
Size

**38W=
157W**
Power

**3600
lm**
Luminous
flux

4000K
Colour





OŚWIETLENIE TECHNICZNE - BATTEN LED

TECHNICAL LIGHTING - BATTEN LED



EK537

No. Art.

18W

Power

**600/
75/
25mm**

Size

2000lm

Luminous
flux

IP20

Internal
Protection (IP)

4000K

Colour
(Kelvin)

**185-277V
~50/60Hz**

Voltage



EK538

No. Art.

30W

Power

**900/
75/
25mm**

Size

3400lm

Luminous
flux

IP20

Internal
Protection (IP)

4000K

Colour
(Kelvin)

**185-277V
~50/60Hz**

Voltage



EK539

No. Art.

36W

Power

**1200/
75/
25mm**

Size

4000lm

Luminous
flux

IP20

Internal
Protection (IP)

4000K

Colour
(Kelvin)

**185-277V
~50/60Hz**

Voltage



EK540

No. Art.

50W

Power

**1500/
75/
25mm**

Size

5800lm

Luminous
flux

IP20

Internal
Protection (IP)

4000K

Colour
(Kelvin)

**185-277V
~50/60Hz**

Voltage



EK537



EKR5803 ▶ **4x 9W** **595/595 mm** **4000K**
 No. Art. Power Size Colour



EKR3119 ▶ **4x 60cm** **595/595 mm** **One Side** **IP20** **Surface**
 No. Art. Power Size Powered Internal Protection (IP) Mounting



EKR3126 ▶ **4x 60cm** **595/595 mm** **One Side** **IP20** **Recessed**
 No. Art. Power Size Powered Internal Protection (IP) Mounting



EKR3133 ▶ **2x 120cm** **1225/300/65 mm** **One Side** **IP20** **Surface**
 No. Art. Power Size Powered Internal Protection (IP) Mounting



EKH6432 ▶ **2x 120cm** **1266/125/97 mm** **One Side** **IP65**
 No. Art. Power Size Powered Internal Protection (IP)



EKH4144 ▶ **2x 120cm** **1266/125/97 mm** **One Side** **IP65** **+2xT8 18W 4000K**
 No. Art. Power Size Powered Internal Protection (IP) T8 LED Tubes included



EKH1206 ▶ **2x 60cm** **558/125/97 mm** **One Side** **IP65**
 No. Art. Power Size Powered Internal Protection (IP)



EKH1718 ▶ **2x 120cm** **1266/125/97 mm** **One Side** **IP65** **✓**
 No. Art. Power Size Powered Internal Protection (IP) Mirror



EKH1564 ▶ **1x 60cm** **660/50/66 mm** **One Side** **IP65**
 No. Art. Power Size Powered Internal Protection (IP)




EKH1557 ▶ **1x 120cm** **1265/70/60 mm** **One Side** **IP65**
 No. Art. Power Size Powered Internal Protection (IP)






T8 LED TUBE 60cm

| | | | | | | |
|---------------------------|----------------------|--------------------------------|------------------------|-----------------------|-------------------------------|---|
| EK8239 No. Art. | ▶ 9W Power | 850 lm Luminous flux | 3000K Colour | 60cm Length | ONE SIDE Connection | IP20 Internal Protection (IP) |
| EK8240 No. Art. | ▶ 9W Power | 850 lm Luminous flux | 4000K Colour | 60cm Length | ONE SIDE Connection | IP20 Internal Protection (IP) |
| EK8241 No. Art. | ▶ 9W Power | 850 lm Luminous flux | 6500K Colour | 60cm Length | ONE SIDE Connection | IP20 Internal Protection (IP) |




T8 LED TUBE 120cm

| | | | | | | |
|---------------------------|-----------------------|---------------------------------|------------------------|------------------------|-------------------------------|---|
| EK8242 No. Art. | ▶ 18W Power | 1850 lm Luminous flux | 3000K Colour | 120cm Length | ONE SIDE Connection | IP20 Internal Protection (IP) |
| EK8243 No. Art. | ▶ 18W Power | 1850 lm Luminous flux | 4000K Colour | 120cm Length | ONE SIDE Connection | IP20 Internal Protection (IP) |
| EK8244 No. Art. | ▶ 18W Power | 1850 lm Luminous flux | 6500K Colour | 120cm Length | ONE SIDE Connection | IP20 Internal Protection (IP) |



T8 LED TUBE 150cm

| | | | | | | |
|---------------------------|-----------------------|---------------------------------|------------------------|------------------------|-------------------------------|---|
| EK8245 No. Art. | ▶ 20W Power | 2100 lm Luminous flux | 4000K Colour | 150cm Length | ONE SIDE Connection | IP20 Internal Protection (IP) |
| EK8246 No. Art. | ▶ 20W Power | 2100 lm Luminous flux | 6500K Colour | 150cm Length | ONE SIDE Connection | IP20 Internal Protection (IP) |



EK8243

TUBY LED PREMIUM

PREMIUM LED TUBE


GWARANCJA
GUARANTEE



5 Years
Guarantee


T8 PREMIUM TUBE 60cm

| | | | | | | |
|---------------------------|----------------------|---------------------------------|------------------------|-----------------------|---|-----------------------------|
| EK8545 No. Art. | 6.5W Power | 900 lm Luminous flux | 3000K Colour | 60cm Length | IP20 Internal Protection (IP) | 5 years Guarantee |
| EK8546 No. Art. | 6.5W Power | 1100 lm Luminous flux | 4000K Colour | 60cm Length | IP20 Internal Protection (IP) | 5 years Guarantee |
| EK8547 No. Art. | 6.5W Power | 1100 lm Luminous flux | 6500K Colour | 60cm Length | IP20 Internal Protection (IP) | 5 years Guarantee |




T8 PREMIUM TUBE 120cm

| | | | | | | |
|---------------------------|-----------------------|---------------------------------|------------------------|------------------------|---|-----------------------------|
| EK8548 No. Art. | 15.5W Power | 2200 lm Luminous flux | 3000K Colour | 120cm Length | IP20 Internal Protection (IP) | 5 years Guarantee |
| EK8549 No. Art. | 15.5W Power | 2500 lm Luminous flux | 4000K Colour | 120cm Length | IP20 Internal Protection (IP) | 5 years Guarantee |
| EK8550 No. Art. | 15.5W Power | 2400 lm Luminous flux | 6500K Colour | 120cm Length | IP20 Internal Protection (IP) | 5 years Guarantee |



T8 PREMIUM TUBE 150cm

| | | | | | | |
|---------------------------|---------------------|---------------------------------|------------------------|------------------------|---|-----------------------------|
| EK8551 No. Art. | 23W Power | 3700 lm Luminous flux | 4000K Colour | 150cm Length | IP20 Internal Protection (IP) | 5 years Guarantee |
| EK8552 No. Art. | 23W Power | 3700 lm Luminous flux | 6500K Colour | 150cm Length | IP20 Internal Protection (IP) | 5 years Guarantee |



EK8545




EK8546

EK8547













ŻARÓWKI LED LED BULBS



G45 E14

| | | | | |
|-----------------------------|------------------------|--------------------------------|------------------------|---|
| EKZA5827 No. Art. | 7W=55W Power | 560 lm Luminous flux | 3000K Colour |  |
| EKZA9125 No. Art. | 7W=55W Power | 560 lm Luminous flux | 4000K Colour |  |
| EKZA5834 No. Art. | 7W=55W Power | 560 lm Luminous flux | 6000K Colour |  |








A60 E27 SMART BULBS

| | | | | | |
|-----------------------------|------------------------|--------------------------------|------------------------|---|--|
| EKZA8000 No. Art. | 9W Power | 820 lm Luminous flux | 3000K Colour |  | 25% 50% 100% Dimming modes |
| EKZA8001 No. Art. | 9W Power | 820 lm Luminous flux | 4000K Colour |  | 25% 50% 100% Dimming modes |
| EK639 No. Art. | 9W=53W Power | 720 lm Luminous flux | 2700K Colour |  |  Motion detector  Twilight detector |
| EK8047 No. Art. | 6W=40W Power | 510 lm Luminous flux | 3000K Colour |  |  Motion detector  Twilight detector |
| EK8048 No. Art. | 9W=53W Power | 820 lm Luminous flux | 3000K Colour |  |  Twilight detector |









A65 E27

| | | | | |
|-----------------------------|---------------------|---------------------------------|------------------------|---|
| EKZA8265 No. Art. | 15W Power | 1500 lm Luminous flux | 3000K Colour |  |
| EKZA8266 No. Art. | 15W Power | 1500 lm Luminous flux | 4000K Colour |  |

G45 E27

| | | | | |
|-----------------------------|------------------------|--------------------------------|------------------------|--|
| EKZA164 No. Art. | 5W=35W Power | 400 lm Luminous flux | 3000K Colour |  |
| EKZA9132 No. Art. | 5W=35W Power | 400 lm Luminous flux | 4000K Colour |  |
| EKZA171 No. Art. | 5W=35W Power | 400 lm Luminous flux | 6000K Colour |  |
| EKZA1465 No. Art. | 7W=55W Power | 560 lm Luminous flux | 3000K Colour |  |
| EKZA1472 No. Art. | 7W=55W Power | 560 lm Luminous flux | 4500K Colour |  |
| EKZA5858 No. Art. | 7W=55W Power | 560 lm Luminous flux | 6000K Colour |  |
| EKZA1898 No. Art. | 7W=55W Power | 560 lm Luminous flux | 6000K Colour |  |

A60 E27

| | | | | |
|-----------------------------|-------------------------|---------------------------------|------------------------|---|
| EKZA1169 No. Art. | 10W=60W Power | 800 lm Luminous flux | 3000K Colour |  |
| EKZA1176 No. Art. | 10W=60W Power | 800 lm Luminous flux | 4000K Colour |  |
| EKZA7795 No. Art. | 9W Power | 830 lm Luminous flux | 6000K Colour |  |
| EKZA727 No. Art. | 12W=72W Power | 960 lm Luminous flux | 3000K Colour |  |
| EKZA7797 No. Art. | 11W Power | 1055 lm Luminous flux | 4000K Colour |  |
| EKZA7798 No. Art. | 11W Power | 1055 lm Luminous flux | 6500K Colour |  |
| EKZA7799 No. Art. | 12W Power | 1200 lm Luminous flux | 3000K Colour |  |
| EKZA7800 No. Art. | 12W Power | 1200 lm Luminous flux | 4000K Colour |  |



<25lx



RANGE: 5m
TIME: 30 sec



C37 E27

| | | | | |
|-----------------|---|---------------|---------------|--------------|
| EKZA1441 | ▶ | 7W=55W | 560 lm | 3000K |
| No. Art. | | Power | Luminous flux | Colour |
| EKZA1458 | ▶ | 7W=55W | 560 lm | 4500K |
| No. Art. | | Power | Luminous flux | Colour |



C37 E14

| | | | | |
|-----------------|---|---------------|---------------|--------------|
| EKZA8004 | ▶ | 7W=55W | 600 lm | 3000K |
| No. Art. | | Power | Luminous flux | Colour |
| EKZA8005 | ▶ | 7W=55W | 600 lm | 4500K |
| No. Art. | | Power | Luminous flux | Colour |
| EKZA8006 | ▶ | 7W=55W | 600 lm | 6000K |
| No. Art. | | Power | Luminous flux | Colour |



G9

| | | | | |
|-----------------|---|-----------|---------------|--------------|
| EKZA1326 | ▶ | 3W | 300 lm | 3000K |
| No. Art. | | Power | Luminous flux | Colour |
| EKZA1333 | ▶ | 3W | 300 lm | 4000K |
| No. Art. | | Power | Luminous flux | Colour |



G9

| | | | | |
|-----------------|---|-----------------|---------------|--------------|
| EKZA130 | ▶ | 3,5W=30W | 320 lm | 3000K |
| No. Art. | | Power | Luminous flux | Colour |
| EKZA312 | ▶ | 3,5W=30W | 320 lm | 4000K |
| No. Art. | | Power | Luminous flux | Colour |
| EKZA1329 | ▶ | 3,5W=30W | 320 lm | 6500K |
| No. Art. | | Power | Luminous flux | Colour |



GU10

| | | | | |
|-----------------|---|-----------------|---------------|--------------|
| EKZA427 | ▶ | 1,5W=13W | 120 lm | 3000K |
| No. Art. | | Power | Luminous flux | Colour |
| EKZA9170 | ▶ | 1,5W=15W | 120 lm | 4000K |
| No. Art. | | Power | Luminous flux | Colour |
| EKZA9187 | ▶ | 5W=35W | 400 lm | 4000K |
| No. Art. | | Power | Luminous flux | Colour |
| EKZA1676 | ▶ | 5W=36W | 400 lm | 3000K |
| No. Art. | | Power | Luminous flux | Colour |
| EKZA8718 | ▶ | 6,5W=40W | 560 lm | 3000K |
| No. Art. | | Power | Luminous flux | Colour |
| EKZA8003 | ▶ | 6,5W | 560 lm | 4000K |
| No. Art. | | Power | Luminous flux | Colour |
| EKZA7803 | ▶ | 6,5W | 560 lm | 6000K |
| No. Art. | | Power | Luminous flux | Colour |
| EKZA251 | ▶ | 6W | 510 lm | 3000K |
| No. Art. | | Power | Luminous flux | Colour |
| EKZA268 | ▶ | 6W | 510 lm | 4000K |
| No. Art. | | Power | Luminous flux | Colour |



G9

| | | | | |
|----------------|---|---------------|---------------|--------------|
| EKZA336 | ▶ | 7W=54W | 700 lm | 3000K |
| No. Art. | | Power | Luminous flux | Colour |
| EKZA343 | ▶ | 7W=54W | 700 lm | 4000K |
| No. Art. | | Power | Luminous flux | Colour |

FRIDGE BULB E14

| | | | | |
|-----------------|---|-----------------|---------------|--------------|
| EKZA8264 | ▶ | 1,5W=15W | 130 lm | 3000K |
| No. Art. | | Power | Luminous flux | Colour |
| EKZA599 | ▶ | 3W=28W | 280 lm | 3000K |
| No. Art. | | Power | Luminous flux | Colour |



GU10 AR111

| | | | | | | | | | |
|---------------------------|---------------------------|--------------------------------|------------------------|--|---------------------------|---------------------------|---------------------------------|------------------------|--|
| AR3871 No. Art. | ▶ 6W=41W Power | 480 lm Luminous flux | 3000K Colour | | AR8036 No. Art. | ▶ 6W=41W Power | 450 lm Luminous flux | 4000K Colour | |
| AR3895 No. Art. | ▶ 6W=41W Power | 480 lm Luminous flux | 3000K Colour | | AR3901 No. Art. | ▶ 6W=41W Power | 480 lm Luminous flux | 4000K Colour | |
| AR8038 No. Art. | ▶ 10W=52W Power | 870 lm Luminous flux | 3000K Colour | | AR7947 No. Art. | ▶ 12W=77W Power | 960 lm Luminous flux | 3000K Colour | |
| AR8039 No. Art. | ▶ 10W=52W Power | 870 lm Luminous flux | 4000K Colour | | AR8043 No. Art. | ▶ 12W=77W Power | 1000 lm Luminous flux | 4000K Colour | |
| AR8040 No. Art. | ▶ 10W=52W Power | 870 lm Luminous flux | 3000K Colour | | AR1190 No. Art. | ▶ 12W=77W Power | 960 lm Luminous flux | 3000K Colour | |
| AR8041 No. Art. | ▶ 10W=52W Power | 870 lm Luminous flux | 4000K Colour | | AR8045 No. Art. | ▶ 12W=77W Power | 1000 lm Luminous flux | 4000K Colour | |

GU10 AR111 + MIRROR + DIMMABLE

| | | | | | | | | | | |
|--|---------------------------|-------------------------|--------------------------------------|------------------------|--|---------------------------|-------------------------|--------------------------------------|------------------------|--|
| | AR8618 No. Art. | ▶ 10.5W Power | 750 lm Total Luminous flux | 3000K Colour | | AR8619 No. Art. | ▶ 10.5W Power | 750 lm Total Luminous flux | 4000K Colour | |
|--|---------------------------|-------------------------|--------------------------------------|------------------------|--|---------------------------|-------------------------|--------------------------------------|------------------------|--|

GU10 AR111 + MIRROR

| | | | | | | | | | |
|--|-----------------------------|---------------------------|--------------------------------------|------------------------|--|-----------------------------|---------------------------|--------------------------------------|------------------------|
| | EKZA3391 No. Art. | ▶ 12W=54W Power | 700 lm Luminous flux | 3000K Colour | | AR8614 No. Art. | ▶ 10.5W Power | 750 lm Total Luminous flux | 3000K Colour |
| | AR8617 No. Art. | ▶ 10.5W Power | 750 lm Total Luminous flux | 4000K Colour | | EKZA1540 No. Art. | ▶ 12W=54W Power | 700 lm Luminous flux | 4000K Colour |

GX53

| | | | | | | | | | |
|--|-----------------------------|----------------------|--------------------------------|------------------------|--|-----------------------------|-----------------------|---------------------------------|------------------------|
| | EKZA1395 No. Art. | ▶ 6W Power | 490 lm Luminous flux | 3000K Colour | | EKZA1418 No. Art. | ▶ 11W Power | 1000 lm Luminous flux | 3000K Colour |
| | EKZA1401 No. Art. | ▶ 6W Power | 490 lm Luminous flux | 4000K Colour | | EKZA1425 No. Art. | ▶ 11W Power | 1000 lm Luminous flux | 4000K Colour |



**PASKI LED
LED STRIPS**
3 Years

**ŻARÓWKI
BULBS**
5 Years

| | | | | | | | | | | | | | |
|--|---------------------------|---------------------|----------------------|-----------------------|--------------|--|---------------------------|------------------------|----------------------|-----------------------|----------------------------|-----------|--|
| | EK8049 No. Art. | 10W Power | RGB Colour | Remote Controller | RC Range | | EK3452 No. Art. | 5W=32W Power | RGB Colour | Bluetooth (5-10m) | Application controller | Timer | |
|--|---------------------------|---------------------|----------------------|-----------------------|--------------|--|---------------------------|------------------------|----------------------|-----------------------|----------------------------|-----------|--|

| | | | | | | | | | | | | | |
|--|--|-----------------------------|------------------------|-------------------------------|--------------------------------|--------------------|-----------------------|----------------------------|-----------|-------------------|------------|-------------------|-------------------|
| | | EKSM6659 No. Art. | 8W=51W Power | 900lm Luminous flux | 2700K ± 6500K Colour | RGB Mode | Dimmable (5-100%) | tuya Operated by | Wi-Fi | Voice Control | Timing | Scene Setting | Share Control |
|--|--|-----------------------------|------------------------|-------------------------------|--------------------------------|--------------------|-----------------------|----------------------------|-----------|-------------------|------------|-------------------|-------------------|

| | | | | | | | | | | | | | |
|--|--|-----------------------------|---------------------|--------------------------------|--------------------------------|--------------------|-----------------------|----------------------------|-----------|-------------------|------------|-------------------|-------------------|
| | | EKSM6666 No. Art. | 11W Power | 1200lm Luminous flux | 2700K ± 6500K Colour | RGB Mode | Dimmable (5-100%) | tuya Operated by | Wi-Fi | Voice Control | Timing | Scene Setting | Share Control |
|--|--|-----------------------------|---------------------|--------------------------------|--------------------------------|--------------------|-----------------------|----------------------------|-----------|-------------------|------------|-------------------|-------------------|



| | | | | | | | | | | | | | | | | | | | |
|-----------------------------|--------------------|---------------------------------------|--------------------------------|--------------------|-----------------------|----------------------------|-----------|-------------------|------------|-------------------|-------------------|------------------------------|-----------------------------|-----------------------------|--|---|----------------------------|----------------------|-----------------------|
| EKSM6673 No. Art. | 5W Power | 350lm (2700K) Luminous flux | 2700K ± 6500K Colour | RGB Mode | Dimmable (5-100%) | tuya Operated by | Wi-Fi | Voice Control | Timing | Scene Setting | Share Control | SMART WiFi SOCKET | EKSM7473 No. Art. | 250V~50Hz Voltage | 2.412GHz 2.472GHz Wireless Frequency | IEEE 802.11 b/g/n Wireless Standard | tuya Operated by | Wi-Fi Connection | Timer & Countdown |
|-----------------------------|--------------------|---------------------------------------|--------------------------------|--------------------|-----------------------|----------------------------|-----------|-------------------|------------|-------------------|-------------------|------------------------------|-----------------------------|-----------------------------|--|---|----------------------------|----------------------|-----------------------|

| | | | | | | | | | | | | | | |
|-----------------------------|----------------------|--------------------------------|--------------------------------|-----------------------|----------------------------|--------------------------|-------------------------|---|-----------|-------------------|------------|-------------------|-------------------|---------------------|
| EKSM7689 No. Art. | 7.5W Power | 650 lm Luminous flux | 2700K ± 6500K Colour | Dimmable (5-100%) | tuya Operated by | 12V~DC Voltage | 3 meters Roll | IP65 Internal Protection (IP) | Wi-Fi | Voice Control | Timing | Scene Setting | Share Control | LED no Cuttable |
|-----------------------------|----------------------|--------------------------------|--------------------------------|-----------------------|----------------------------|--------------------------|-------------------------|---|-----------|-------------------|------------|-------------------|-------------------|---------------------|

| | | | | | | | | | | | | | | |
|-----------------------------|-----------------------|---------------------------------|--------------------------------|-----------------------|----------------------------|--------------------------|-------------------------|---|-----------|-------------------|------------|-------------------|-------------------|---------------------|
| EKSM7690 No. Art. | 12.5W Power | 1250 lm Luminous flux | 2700K ± 6500K Colour | Dimmable (5-100%) | tuya Operated by | 12V~DC Voltage | 5 meters Roll | IP65 Internal Protection (IP) | Wi-Fi | Voice Control | Timing | Scene Setting | Share Control | LED no Cuttable |
|-----------------------------|-----------------------|---------------------------------|--------------------------------|-----------------------|----------------------------|--------------------------|-------------------------|---|-----------|-------------------|------------|-------------------|-------------------|---------------------|



EKSM7689 + EKSM6659





ŻARÓWKI FILAMENTOWE LED

LED FILAMENT BULBS

C37

EKZF003

No. Art.

E27

Handle
Luminous flux

4W=35W

Power
Colour

230V-50Hz

Voltage
mA



C37

EKZF103

No. Art.

E27

Handle
Luminous flux

4W=35W

Power
Colour

230V-50Hz

Voltage
mA



C37

EKZF990

No. Art.

E14

Handle
Luminous flux

4W=35W

Power
Colour

230V-50Hz

Voltage
mA



C37

EKZF0964

No. Art.

E14

Handle
Luminous flux

4W=35W

Power
Colour

230V-50Hz

Voltage
mA



C37

EKZF9255

No. Art.

E27

Handle
Luminous flux

6W=48W

Power
Colour

230V-50Hz

Voltage
mA



C37

EKZF8613

No. Art.

E27

Handle
Luminous flux

5W

Power
Colour

230V-50Hz

Voltage
mA



G45

EKZF1074

No. Art.

E27

Handle
Luminous flux

2W=17W

Power
Colour

230V-50Hz

Voltage
mA



G45

EKZF983

No. Art.

E27

Handle
Luminous flux

4W=35W

Power
Colour

230V-50Hz

Voltage
mA



G45

EKZF8009

No. Art.

E27

Handle
Luminous flux

4W=35W

Power
Colour

230V-50Hz

Voltage
mA



G45

EKZF9231

No. Art.

E27

Handle
Luminous flux

6W=48W

Power
Colour

230V-50Hz

Voltage
mA



G45

EKZF9248

No. Art.

E27

Handle
Luminous flux

6W=48W

Power
Colour

230V-50Hz

Voltage
mA



G45

EKZF022

No. Art.

E14

Handle
Luminous flux

4W=35W

Power
Colour

230V-50Hz

Voltage
mA



G45

EKZF380

No. Art.

E14

Handle
Luminous flux

4W=35W

Power
Colour

230V-50Hz

Voltage
mA



A60

EKZF7808

No. Art.

E27

Handle
Luminous flux

5W

Power
Colour

230V-50Hz

Voltage
mA



A60

EKZF940

No. Art.

E27

Handle
Luminous flux

5W

Power
Colour

230V-50Hz

Voltage
mA



A60

EKZF8012

No. Art.

E27

Handle
Luminous flux

8W

Power
Colour

230V-50Hz

Voltage
mA



ŻARÓWKI FILAMENTOWE LED


LED FILAMENT BULBS



A60

EKZF8013 ▶
No. Art.


| | | |
|---------------------------------|------------------------|-----------------------------|
| E27 Handle | 8W Power | 230V~50Hz Voltage |
| 1055 lm Luminous flux | 4000K Colour | 86 mA |



A60

EKZF8015 ▶
No. Art.


| | | |
|---------------------------------|------------------------|-----------------------------|
| E27 Handle | 9W Power | 230V~50Hz Voltage |
| 1200 lm Luminous flux | 4000K Colour | 104 mA |



A60

EKZF8014 ▶
No. Art.


| | | |
|---------------------------------|------------------------|-----------------------------|
| E27 Handle | 9W Power | 230V~50Hz Voltage |
| 1200 lm Luminous flux | 2700K Colour | 104 mA |



G120

EKZF969 ▶
No. Art.


| | | |
|--------------------------------|------------------------|-----------------------------|
| E27 Handle | 7W Power | 230V~50Hz Voltage |
| 806 lm Luminous flux | 2700K Colour | 65 mA |



G120

EKZF971 ▶
No. Art.

| | | |
|--------------------------------|------------------------|-----------------------------|
| E27 Handle | 7W Power | 230V~50Hz Voltage |
| 806 lm Luminous flux | 4000K Colour | 65 mA |




ŻARÓWKI DEKORACYJNE LED + E27

LED DECORATIVE BULBS + E27

G80

EKZF7807 ▶
No. Art.


| | | |
|--------------------|--------------------------------|------------------------|
| 4W Power | 400 lm Luminous flux | 2700K Colour |
|--------------------|--------------------------------|------------------------|



G80

EKZF8007 ▶
No. Art.


| | | |
|--------------------|--------------------------------|------------------------|
| 6W Power | 700 lm Luminous flux | 2700K Colour |
|--------------------|--------------------------------|------------------------|



ST64

EKZA3621 ▶
No. Art.


| | | |
|--------------------|--------------------------------|------------------------|
| 4W Power | 400 lm Luminous flux | 2700K Colour |
|--------------------|--------------------------------|------------------------|



DIAMOND

EKZA3560 ▶
No. Art.


| | | |
|--------------------|--------------------------------|------------------------|
| 4W Power | 360 lm Luminous flux | 2700K Colour |
|--------------------|--------------------------------|------------------------|



T30

EKZF8018 ▶
No. Art.


| | | |
|--------------------|--------------------------------|------------------------|
| 4W Power | 400 lm Luminous flux | 2700K Colour |
|--------------------|--------------------------------|------------------------|



G125

EKZA3614 ▶
No. Art.

| | | |
|--------------------|--------------------------------|------------------------|
| 4W Power | 200 lm Luminous flux | 2700K Colour |
|--------------------|--------------------------------|------------------------|



T45

EKZA3638 ▶
No. Art.


| | | |
|--------------------|--------------------------------|------------------------|
| 4W Power | 360 lm Luminous flux | 2700K Colour |
|--------------------|--------------------------------|------------------------|



G45

ML7806 ▶
No. Art.

| | | |
|--------------------|--------------------------------|------------------------|
| 4W Power | 400 lm Luminous flux | 2700K Colour |
|--------------------|--------------------------------|------------------------|



G120

EKZF8016 ▶
No. Art.


| | | |
|--------------------|--------------------------------|------------------------|
| 6W Power | 700 lm Luminous flux | 2700K Colour |
|--------------------|--------------------------------|------------------------|



ST64

EKZF8017 ▶
No. Art.


| | | |
|--------------------|--------------------------------|------------------------|
| 6W Power | 700 lm Luminous flux | 2700K Colour |
|--------------------|--------------------------------|------------------------|



SMALL DIAMOND

EKZA074 ▶
No. Art.

| | | |
|--------------------|--------------------------------|------------------------|
| 4W Power | 320 lm Luminous flux | 2700K Colour |
|--------------------|--------------------------------|------------------------|





KRYSTAŁOWE ŻARÓWKI CRYSTAL BULBS



C37

EKZA1649

No. Art.

E14

Handle

4,3W=35W

Power

170-250V-50/60Hz

Voltage

380 lm

Luminous flux

4000K

Colour

18

mA



G45

EKZA2035

No. Art.

E27

Handle

4,3W=35W

Power

170-250V-50/60Hz

Voltage

380 lm

Luminous flux

4000K

Colour

18

mA



C37

EKZA7697

No. Art.

E14

Handle

4W

Power

220-230V-50/60Hz

Voltage

500 lm

Luminous flux

4000K

Colour

25

mA



G45

EKZA7698

No. Art.

E14

Handle

3W

Power

220-230V-50/60Hz

Voltage

330 lm

Luminous flux

4000K

Colour

20

mA

ŻARÓWKI DEKORACYJNE LED LED DECORATIVE BULBS

**G45 E27
SILVER
MIRROR**

EKZF8010

No. Art.

4W=30W

Power

400 lm

Luminous flux

2700K

Colour



**G45 E27
GOLDEN
MIRROR**

EKZF8011

No. Art.

4W=30W

Power

430 lm

Luminous flux

2700K

Colour



**G80 E27
SILVER
MIRROR**

EKZF7809

No. Art.

5W

Power

550 lm

Luminous flux

2700K

Colour



**G80 E27
GOLDEN
MIRROR**

EKZF7810

No. Art.

5W

Power

550 lm

Luminous flux

2700K

Colour



**G125 E27
SILVER
MIRROR**

EKZF7811

No. Art.

7W

Power

806 lm

Luminous flux

2700K

Colour



**G125 E27
GOLDEN
MIRROR**

EKZF7812

No. Art.

7W

Power

806 lm

Luminous flux

2700K

Colour



**G45 E14
SILVER
MIRROR**

ML1373

No. Art.

4W=31W

Power

320 lm

Luminous flux

2700K

Colour



**G45 E14
GOLDEN
MIRROR**

ML1366

No. Art.

4W=31W

Power

320 lm

Luminous flux







2700K








Colour



OCZKA SUFITOWE DOWNLIGHT SET



| | | | | | | | | | | | | | | | | | |
|--|----------------------------|---|-----------------------|----------------------|-------------------|----------------------------------|------------------------|------------------------|---|----------------------------|---|-----------------------|----------------------|-------------------|--------------------------------|------------------------|------------------------|
|  | EKZ2587 No. Art. | ▶ | GU10 Handle | 3x5W Power | IP20 IP | 3x400 lm Luminous flux | 3000K Colour | WHITE Steel |  | EKZ2556 No. Art. | ▶ | GU10 Handle | 1x5W Power | IP20 IP | 400 lm Luminous flux | 3000K Colour | WHITE Steel |
|  | EKZ4102 No. Art. | ▶ | GU10 Handle | 3x5W Power | IP20 IP | 3x400 lm Luminous flux | 3000K Colour | GOLD Steel |  | EKZ2563 No. Art. | ▶ | GU10 Handle | 1x5W Power | IP20 IP | 400 lm Luminous flux | 3000K Colour | GOLD Steel |
|  | EKZ2697 No. Art. | ▶ | GU10 Handle | 3x5W Power | IP20 IP | 3x400 lm Luminous flux | 3000K Colour | SATINE Steel |  | EKZ2570 No. Art. | ▶ | GU10 Handle | 1x5W Power | IP20 IP | 400 lm Luminous flux | 3000K Colour | SATINE Steel |

| | | | | | | | | | | | | | | | |
|--|----------------------------|---|-------------------|------------------------|-------------------------|-------------------------|--------------------------|---|----------------------------|---|-------------------|-----------------------|-------------------------|------------------------|--------------------------|
|  | EKOS271 No. Art. | ▶ | IP20 IP | BLACK Glass | MAX 50W Power | 9/9/2 cm Size | Ø 65mm Cut Out |  | EKOS205 No. Art. | ▶ | IP20 IP | BLACK Glass | MAX 50W Power | Ø9/2 cm Size | Ø 65mm Cut Out |
|  | EKOS270 No. Art. | ▶ | IP20 IP | SILVER Glass | MAX 50W Power | 9/9/2 cm Size | Ø 65mm Cut Out |  | EKOS204 No. Art. | ▶ | IP20 IP | BLACK Glass | MAX 50W Power | Ø9/2 cm Size | Ø 65mm Cut Out |
|  | EKOS208 No. Art. | ▶ | IP20 IP | FROST Glass | MAX 50W Power | 9/9/2 cm Size | Ø 65mm Cut Out |  | EKOS206 No. Art. | ▶ | IP20 IP | FROST Glass | MAX 50W Power | Ø9/2 cm Size | Ø 65mm Cut Out |
|  | EKOS209 No. Art. | ▶ | IP20 IP | AMBER Glass | MAX 50W Power | 9/9/2 cm Size | Ø 65mm Cut Out |  | EKOS207 No. Art. | ▶ | IP20 IP | AMBER Glass | MAX 50W Power | Ø9/2 cm Size | Ø 65mm Cut Out |

| | | | | | | | | | | | | | |
|--|----------------------------|---|-------------------|-----------------------|-------------------------|---------------------------|---|----------------------------|---|-------------------|-----------------------|-------------------------|---------------------------|
|  | EKOS919 No. Art. | ▶ | IP20 IP | BLACK Glass | MAX 50W Power | 18/9/2,5cm Size |  | EKOS926 No. Art. | ▶ | IP20 IP | BLACK Glass | MAX 50W Power | 18/9/2,5cm Size |
|--|----------------------------|---|-------------------|-----------------------|-------------------------|---------------------------|---|----------------------------|---|-------------------|-----------------------|-------------------------|---------------------------|



OCZKA SUFITOWE DOWNLIGHT SET



EKZ336
No. Art.

| | | |
|------------------|---------------|--------------------|
| IP20 | WHITE | Not Icluded |
| IP | Aluminum | Bulb |
| Ø83*23 mm | Ø 70mm | |
| Size | Cut Out | |



EKZ343
No. Art.

| | | |
|------------------|---------------|--------------------|
| IP20 | BLACK | Not Icluded |
| IP | Aluminum | Bulb |
| Ø83*23 mm | Ø 70mm | |
| Size | Cut Out | |



EKZ312
No. Art.

| | | |
|--------------------|---------------|--------------------|
| IP20 | WHITE | Not Icluded |
| IP | Aluminum | Bulb |
| 83*83*23 mm | Ø 70mm | |
| Size | Cut Out | |



EKZ329
No. Art.

| | | |
|--------------------|---------------|--------------------|
| IP20 | BLACK | Not Icluded |
| IP | Aluminum | Bulb |
| 83*83*23 mm | Ø 70mm | |
| Size | Cut Out | |



ML0015
No. Art.

| | | |
|--------------------|---------------|--------------------|
| IP20 | WHITE | Not Icluded |
| IP | Aluminum | Bulb |
| 97*97*30 mm | Ø 80mm | |
| Size | Cut Out | |



ML0022
No. Art.

| | | |
|--------------------|---------------|--------------------|
| IP20 | BLACK | Not Icluded |
| IP | Aluminum | Bulb |
| 97*97*30 mm | Ø 80mm | |
| Size | Cut Out | |



ML0039
No. Art.

| | | |
|--------------------|---------------|--------------------|
| IP20 | WHITE | Not Icluded |
| IP | Aluminum | Bulb |
| 97*97*23 mm | Ø 80mm | |
| Size | Cut Out | |



ML0046
No. Art.

| | | |
|--------------------|---------------|--------------------|
| IP20 | BLACK | Not Icluded |
| IP | Aluminum | Bulb |
| 83*83*23 mm | Ø 70mm | |
| Size | Cut Out | |



EKZ305
No. Art.

| | | | | |
|-------------|--------------|--------------------|------------------|------------------|
| IP44 | WHITE | Not Icluded | Ø85*27 mm | Ø 60-70mm |
| IP | Aluminum | Bulb | Size | Cut Out |



EKZ299
No. Art.

| | | | | |
|-------------|--------------|--------------------|------------------|------------------|
| IP44 | BLACK | Not Icluded | Ø85*27 mm | Ø 60-70mm |
| IP | Aluminum | Bulb | Size | Cut Out |



EKZ282
No. Art.

| | | | | |
|-------------|--------------|--------------------|--------------------|------------------|
| IP44 | WHITE | Not Icluded | 85*85*27 mm | Ø 60-70mm |
| IP | Aluminum | Bulb | Size | Cut Out |



EKZ275
No. Art.

| | | | | |
|-------------|--------------|--------------------|--------------------|------------------|
| IP44 | BLACK | Not Icluded | 85*85*27 mm | Ø 60-70mm |
| IP | Aluminum | Bulb | Size | Cut Out |



MLO57239
No. Art.

| | | | | |
|-------------|--------------|--------------------|------------------|---------------|
| IP20 | WHITE | Not Icluded | Ø92*43 mm | Ø 75mm |
| IP | Aluminum | Bulb | Size | Cut Out |



MLO57240
No. Art.

| | | | | |
|-------------|--------------|--------------------|------------------|---------------|
| IP20 | BLACK | Not Icluded | Ø92*43 mm | Ø 75mm |
| IP | Aluminum | Bulb | Size | Cut Out |



MLO57241
No. Art.

| | | | | |
|-------------|--------------|--------------------|--------------------|---------------|
| IP20 | WHITE | Not Icluded | 90*90*43 mm | Ø 75mm |
| IP | Aluminum | Bulb | Size | Cut Out |



MLO57242
No. Art.

| | | | | |
|-------------|--------------|--------------------|--------------------|---------------|
| IP20 | BLACK | Not Icluded | 90*90*43 mm | Ø 75mm |
| IP | Aluminum | Bulb | Size | Cut Out |



ML0053
No. Art.

| | | | | |
|-------------|--------------|--------------------|--------------------|---------------|
| IP20 | WHITE | Not Icluded | 97*97*45 mm | Ø 80mm |
| IP | Aluminum | Bulb | Size | Cut Out |



ML0060
No. Art.

| | | | | |
|-------------|--------------|--------------------|--------------------|---------------|
| IP20 | BLACK | Not Icluded | 97*97*45 mm | Ø 80mm |
| IP | Aluminum | Bulb | Size | Cut Out |



ML0077
No. Art.

| | | | | |
|-------------|--------------|--------------------|--------------------|---------------|
| IP20 | WHITE | Not Icluded | 97*97*45 mm | Ø 80mm |
| IP | Aluminum | Bulb | Size | Cut Out |



ML0084
No. Art.

| | | | | |
|-------------|--------------|--------------------|--------------------|---------------|
| IP20 | BLACK | Not Icluded | 97*97*45 mm | Ø 80mm |
| IP | Aluminum | Bulb | Size | Cut Out |

OPRAWY SUFITOWE BIMA

BIMA CEILING LUMINAIRES



| | | | | | |
|---------------|---|-------------------------------|--------------|------------------------|----------------------------|
| ML7011 | ▶ | 1xGU10 MAX 25W | Black | Not Icluded | Ø79* 110 mm |
| No. Art. | | Power | Aluminum | Bulb | Size |



| | | | | | |
|---------------|---|-------------------------------|--------------|------------------------|------------------------------|
| ML7013 | ▶ | 1xGU10 MAX 25W | Black | Not Icluded | 80*80* 110 mm |
| No. Art. | | Power | Aluminum | Bulb | Size |



| | | | | | |
|---------------|---|-------------------------------|--------------|------------------------|----------------------------|
| ML7010 | ▶ | 1xGU10 MAX 25W | White | Not Icluded | Ø79* 110 mm |
| No. Art. | | Power | Aluminum | Bulb | Size |



| | | | | | |
|---------------|---|-------------------------------|--------------|------------------------|------------------------------|
| ML7012 | ▶ | 1xGU10 MAX 25W | White | Not Icluded | 80*80* 110 mm |
| No. Art. | | Power | Aluminum | Bulb | Size |



| | | | | | |
|---------------|---|-------------------------------|--------------|------------------------|----------------------------|
| ML7687 | ▶ | 1xGU10 MAX 25W | Black | Not Icluded | Ø80* 100 mm |
| No. Art. | | Power | Aluminum | Bulb | Size |



| | | | | | |
|---------------|---|-------------------------------|-----------------------|------------------------|------------------------------|
| ML7685 | ▶ | 1xGU10 MAX 25W | Black | Not Icluded | 80*80* 100 mm |
| No. Art. | | Power | Aluminum + Acrylic | Bulb | Size |



| | | | | | |
|---------------|---|-------------------------------|--------------|------------------------|----------------------------|
| ML7686 | ▶ | 1xGU10 MAX 25W | White | Not Icluded | Ø80* 100 mm |
| No. Art. | | Power | Aluminum | Bulb | Size |



| | | | | | |
|---------------|---|-------------------------------|-----------------------|------------------------|------------------------------|
| ML7684 | ▶ | 1xGU10 MAX 25W | White | Not Icluded | 80*80* 100 mm |
| No. Art. | | Power | Aluminum + Acrylic | Bulb | Size |



BIMA RING SQUARE WH ML7684



BIMA ARTE ROUND BL ML7684



LAMPKI ZASILANE 230~V POWER LIGHTS 230 ~ V



EKLP2345
No. Art.

| | | |
|---------------|--------|------------|
| 30cm | 7,6W | IP20 |
| Length | Power | IP |
| 430 lm | 4000K | 160° |
| Luminous flux | Colour | Beam angle |

EKLP2338
No. Art.

| | | |
|---------------|--------|------------|
| 60cm | 9W | IP20 |
| Length | Power | IP |
| 610 lm | 4000K | 120° |
| Luminous flux | Colour | Beam angle |



EK979
No. Art.

| | | |
|---------------|--------|------|
| 8/10 cm | 0,5W | IP20 |
| Size | Power | IP |
| 35 lm | 3000K | |
| Luminous flux | Colour | |



EK986
No. Art.

| | | |
|---------------|--------|------|
| 8,8/6,3 cm | 0,5W | IP20 |
| Size | Power | IP |
| 35 lm | 3000K | |
| Luminous flux | Colour | |

LAMPKI NA BATERIE BATTERY LIGHTS



EKB6615
No. Art.

| | | | |
|---------------|--------|------------------------|---------------|
| 12,5cm | 0,5W | IP20 | |
| Length | Power | IP | Motion sensor |
| 40 lm | 4000K | 3xAAA | |
| Luminous flux | Colour | Battery (not included) | 2nd light |



EKB6592
No. Art.

| | | | |
|---------------|--------|------------------------|---------------|
| 30cm | 0,3W | IP20 | |
| Length | Power | IP | Motion sensor |
| 30 lm | 4000K | 3xAAA | |
| Luminous flux | Colour | Battery (not included) | |



EKB6622
No. Art.

| | | | |
|---------------|--------|------------------------|---------------|
| 14cm | 0,5W | IP20 | |
| Length | Power | IP | Motion sensor |
| 35 lm | 4000K | 3xAAA | |
| Luminous flux | Colour | Battery (not included) | Mounting |



EKB6639
No. Art.

| | | | |
|---------------|--------|------------------------|---------------|
| 20cm | 0,5W | IP20 | |
| Length | Power | IP | Hanger |
| 35 lm | 4000K | 3xAAA | |
| Luminous flux | Colour | Battery (not included) | Motion sensor |



EKB6646
No. Art.

| | | | |
|---------------|--------|------------------------|---------------|
| 8cm | 0,8W | IP20 | |
| Length | Power | IP | Motion sensor |
| 50 lm | 4000K | 3xAAA | |
| Luminous flux | Colour | Battery (not included) | Hanger |



EKB6653
No. Art.

| | | | |
|---------------|--------|------------------------|---------------|
| 28cm | 1,5W | IP20 | |
| Length | Power | IP | Motion sensor |
| 85 lm | 4000K | 3xAA | |
| Luminous flux | Colour | Battery (not included) | |



EKB6660
No. Art.

| | | | |
|---------------|--------|--------------------|---------------|
| 5cm | 0,2W | IP20 | |
| Length | Power | IP | Motion sensor |
| 20 lm | 4000K | CR2450 | |
| Luminous flux | Colour | Battery (included) | |



EKB6608
No. Art.

| | | | |
|---------------|--------|------------------------|---------------|
| 9cm | 0,5W | IP20 | |
| Length | Power | IP | Motion sensor |
| 25 lm | 4000K | 3xAA | |
| Luminous flux | Colour | Battery (not included) | |

OPRAWY SCHODOWE LED 230~V

DECORATIVE LED STAIRCASES 230~V



PEPEERS

| | | | | | |
|-------------------------------|---|-------|-------------------------|----------------------|------|
| EKS0903 EKS0438 EKS0941 | ▶ | 0,6W | 3000K 4000K 6500K | 13lm 14lm 15lm | IP20 |
| No. Art. | | Power | Colour | Luminous flux | (IP) |



QUADRO

| | | | | | |
|-------------------------------|---|-------|-------------------------|----------------------|------|
| EKS0927 EKS0414 EKS0965 | ▶ | 0,6W | 3000K 4000K 6500K | 13lm 14lm 15lm | IP20 |
| No. Art. | | Power | Colour | Luminous flux | (IP) |



EVO

| | | | | | |
|-------------------------------|---|-------|-------------------------|----------------------|------|
| EKS0910 EKS0568 EKS0476 | ▶ | 0,6W | 3000K 4000K 6500K | 13lm 14lm 15lm | IP20 |
| No. Art. | | Power | Colour | Luminous flux | (IP) |




OTI

| | | | | | |
|-------------------------------|---|-------|-------------------------|----------------------|------|
| EKS1061 EKS6141 EKS1085 | ▶ | 0,6W | 3000K 4000K 6500K | 13lm 14lm 15lm | IP20 |
| No. Art. | | Power | Colour | Luminous flux | (IP) |



EXON

| | | | | | |
|--------------------|---|-------|----------------|---------------|------|
| EKS2396 EKS3829 | ▶ | 0,6W | 3000K 6500K | 13lm 15lm | IP20 |
| No. Art. | | Power | Colour | Luminous flux | (IP) |



LUMI

| | | | | | |
|-------------------------------|---|-------|-------------------------|----------------------|------|
| EKS2341 EKS6158 EKS2358 | ▶ | 0,6W | 3000K 4000K 6500K | 13lm 14lm 15lm | IP20 |
| No. Art. | | Power | Colour | Luminous flux | (IP) |



BERG

| | | | | | |
|-------------------------------|---|-------|-------------------------|----------------------|------|
| EKS4390 EKS0407 EKS4406 | ▶ | 0,6W | 3000K 4000K 6500K | 13lm 14lm 15lm | IP20 |
| No. Art. | | Power | Colour | Luminous flux | (IP) |



CAPRI

| | | | | | |
|-------------------------------|---|-------|-------------------------|----------------------|------|
| EKS4413 EKS0421 EKS4420 | ▶ | 0,6W | 3000K 4000K 6500K | 13lm 14lm 15lm | IP20 |
| No. Art. | | Power | Colour | Luminous flux | (IP) |



DECO

| | | | | | |
|-------------------------------|---|-------|-------------------------|----------------------|------|
| EKS4437 EKS0384 EKS4444 | ▶ | 0,6W | 3000K 4000K 6500K | 13lm 14lm 15lm | IP20 |
| No. Art. | | Power | Colour | Luminous flux | (IP) |



EVRA

| | | | | | |
|-------------------------------|---|-------|-------------------------|----------------------|---------------|
| EKS4352 EKS0391 EKS4369 | ▶ | 0,6W | 3000K 4000K 6500K | 13lm 14lm 15lm | IP20 |
| No. Art. | | Power | Voltage | Colour | Luminous flux |



OTI MAX

| | | | | | |
|--------------------|---|-------|----------------|---------------|------|
| EKS4338 EKS4345 | ▶ | 0,6W | 3000K 6500K | 13lm 15lm | IP20 |
| No. Art. | | Power | Colour | Luminous flux | (IP) |



POLAR

| | | | | | |
|--------------------|---|-------|----------------|---------------|------|
| EKS4376 EKS3100 | ▶ | 0,6W | 3000K 4000K | 13lm 14lm | IP20 |
| No. Art. | | Power | Colour | Luminous flux | (IP) |



VOX

| | | | | | |
|-------------------------------|---|-------|-------------------------|----------------------|------|
| EKS3836 EKS6165 EKS3843 | ▶ | 0,6W | 3000K 4000K 6500K | 13lm 14lm 15lm | IP20 |
| No. Art. | | Power | Colour | Luminous flux | (IP) |



FERRO

| | | | | | |
|--------------------|---|-------|----------------|---------------|------|
| EKS1121 EKS1138 | ▶ | 0,6W | 3000K 4000K | 13lm 14lm | IP20 |
| No. Art. | | Power | Colour | Luminous flux | (IP) |



DON'T SMOKE

| | | | | | |
|----------|---|-------|--------|---------------|------|
| EKS2806 | ▶ | 0,6W | 6500K | 15lm | IP20 |
| No. Art. | | Power | Colour | Luminous flux | (IP) |




MEN

| | | | | | |
|----------|---|-------|--------|---------------|------|
| EKS2813 | ▶ | 0,6W | 6500K | 15lm | IP20 |
| No. Art. | | Power | Colour | Luminous flux | (IP) |



WOMEN

| | | | | | |
|----------|---|-------|--------|---------------|------|
| EKS2820 | ▶ | 0,6W | 6500K | 15lm | IP20 |
| No. Art. | | Power | Colour | Luminous flux | (IP) |



EVO BLACK

| | | | | | |
|-------------------|---|-------|----------------|---------------|------|
| EKS5681 EKS711 | ▶ | 0,6W | 3000K 4000K | 13lm 14lm | IP20 |
| No. Art. | | Power | Colour | Luminous flux | (IP) |



OTI BLACK

| | | | | | |
|--------------------|---|-------|----------------|---------------|------|
| EKS5667 EKS5698 | ▶ | 0,6W | 3000K 4000K | 13lm 14lm | IP20 |
| No. Art. | | Power | Colour | Luminous flux | (IP) |




LUMI BLACK

| | | | | | |
|--------------------|---|-------|----------------|---------------|------|
| EKS56674 EKS704 | ▶ | 0,6W | 3000K 4000K | 13lm 14lm | IP20 |
| No. Art. | | Power | Colour | Luminous flux | (IP) |



EVRA BLACK

| | | | | | |
|--------------------|---|-------|----------------|---------------|------|
| EKS6904 EKS6905 | ▶ | 0,6W | 3000K 4000K | 13lm 14lm | IP20 |
| No. Art. | | Power | Colour | Luminous flux | (IP) |



QUADRO BLACK

| | | | | | |
|--------------------|---|-------|----------------|---------------|------|
| EKS6906 EKS6907 | ▶ | 0,6W | 3000K 4000K | 13lm 14lm | IP20 |
| No. Art. | | Power | Colour | Luminous flux | (IP) |



OPRAWY SCHODOWE LED + PIR 12V

LED DECORATIVE STAIRCASES + PIR 12V

| | | | | | | | |
|-------------|--------------------|-------------------------|----------------------|-------------|------------|---|--|
| 0,6W | 12V~ DC | 3000K 4000K 6500K | 13lm 14lm 15lm | IP20 | 110 | Range: 5 meters Operating time: 60 sec | ◀ EKS0989 EKS1473 EKS1023 |
| Power | Voltage | Colour | Luminous flux | (IP) | Angle | Motion Sensor | No. Art. |



| | | | | | | | |
|-------------|--------------------|-------------------------|----------------------|-------------|------------|---|--|
| 0,6W | 12V~ DC | 3000K 4000K 6500K | 13lm 14lm 15lm | IP20 | 110 | Range: 5 meters Operating time: 60 sec | ◀ EKS1009 EKS1497 EKS1047 |
| Power | Voltage | Colour | Luminous flux | (IP) | Angle | Motion Sensor | No. Art. |



| | | | | | | | |
|-------------|--------------------|-------------------------|----------------------|-------------|------------|---|--|
| 0,6W | 12V~ DC | 3000K 4000K 6500K | 13lm 14lm 15lm | IP20 | 110 | Range: 5 meters Operating time: 60 sec | ◀ EKS0996 EKS1480 EKS1030 |
| Power | Voltage | Colour | Luminous flux | (IP) | Angle | Motion Sensor | No. Art. |



| | | | | | | | |
|-------------|--------------------|-------------------------|----------------------|-------------|------------|---|--|
| 0,6W | 12V~ DC | 3000K 4000K 6500K | 13lm 14lm 15lm | IP20 | 110 | Range: 5 meters Operating time: 60 sec | ◀ EKS1078 EKS1503 EKS1092 |
| Power | Voltage | Colour | Luminous flux | (IP) | Angle | Motion Sensor | No. Art. |



| | | | | | | | |
|-------------|--------------------|-------------------------|----------------------|-------------|------------|---|--|
| 0,6W | 12V~ DC | 3000K 4000K 6500K | 13lm 14lm 15lm | IP20 | 110 | Range: 5 meters Operating time: 60 sec | ◀ EKS3041 EKS1527 EKS3058 |
| Power | Voltage | Colour | Luminous flux | (IP) | Angle | Motion Sensor | No. Art. |



| | | | | | | | |
|-------------|--------------------|--------|---------------|-------------|------------|---|------------------|
| 0,6W | 12V~ DC | 4000K | 14lm | IP20 | 110 | Range: 5 meters Operating time: 60 sec | ◀ EKS1510 |
| Power | Voltage | Colour | Luminous flux | (IP) | Angle | Motion Sensor | No. Art. |



| | | | | | | | |
|-------------|--------------------|----------------|---------------|-------------|------------|---|------------------------------------|
| 0,6W | 12V~ DC | 3000K 4000K | 13lm 14lm | IP20 | 110 | Range: 5 meters Operating time: 60 sec | ◀ EKS6902 EKS6903 |
| Power | Voltage | Colour | Luminous flux | (IP) | Angle | Motion Sensor | No. Art. |



| | | | | | | | |
|-------------|--------------------|----------------|---------------|-------------|------------|---|------------------------------------|
| 0,6W | 12V~ DC | 3000K 4000K | 13lm 14lm | IP20 | 110 | Range: 5 meters Operating time: 60 sec | ◀ EKS6898 EKS6899 |
| Power | Voltage | Colour | Luminous flux | (IP) | Angle | Motion Sensor | No. Art. |



| | | | | | | | |
|-------------|--------------------|----------------|---------------|-------------|------------|---|------------------------------------|
| 0,6W | 12V~ DC | 3000K 4000K | 13lm 14lm | IP20 | 110 | Range: 5 meters Operating time: 60 sec | ◀ EKS6896 EKS6897 |
| Power | Voltage | Colour | Luminous flux | (IP) | Angle | Motion Sensor | No. Art. |



| | | | | | | | |
|-------------|--------------------|----------------|---------------|-------------|------------|---|------------------------------------|
| 0,6W | 12V~ DC | 3000K 4000K | 13lm 14lm | IP20 | 110 | Range: 5 meters Operating time: 60 sec | ◀ EKS6900 EKS6901 |
| Power | Voltage | Colour | Luminous flux | (IP) | Angle | Motion Sensor | No. Art. |



NEONY LED i AKCESORIA

LED NEONS & ACCESORIES

LED 50m

| | | | | | |
|---------|---|----------------------|---------|---|------------------|
| EKF4505 | ▶ | COOL WHITE Colour | EKF4475 | ▶ | YELLOW Colour |
| EKF4512 | ▶ | WARM WHITE Colour | EKF4482 | ▶ | GREEN Colour |
| EKF4468 | ▶ | RED Colour | EKF4499 | ▶ | BLUE Colour |

| | | | |
|--------------------------|-------------------|----------------|------------------------|
| 2835 SMD LED Chip | 120/m LEDs pcs | 7W Power | 200lm Luminous Flux |
| IP65 Protection Class | 1m Cutttable | 8/16mm Size | 50 meters Length |



| | | | | | | | | | |
|---------|---|---------------|----------------------|------------------|---------------|--------------------------|-----------------|-----------------|---------------------|
| EKF4529 | ▶ | RGB Colour | 5050 SMD LED Chip | 60/m LEDs pcs | 8W/m Power | IP65 Protection Class | 1m Cutttable | 13/26mm Size | 50 meters Length |
|---------|---|---------------|----------------------|------------------|---------------|--------------------------|-----------------|-----------------|---------------------|

LED 5m Zestaw / Set

| | | | | | |
|---------|---|----------------------|---------|---|-----------------|
| EKF1268 | ▶ | COOL WHITE Colour | EKF1237 | ▶ | RED Colour |
| EKF1275 | ▶ | WARM WHITE Colour | EKF1244 | ▶ | GREEN Colour |
| EKF1251 | ▶ | BLUE Colour | | | |

| | | | |
|--------------------------|-------------------|----------------|---------------------------|
| 2835 SMD LED Chip | 120/m LEDs pcs | 7W/m Power | 200lm /m Luminous Flux |
| IP67 Protection Class | 1m Cutttable | 8/16mm Size | 5 meters Length |



| | | | | | | | | | |
|---------|---|---------------|----------------------|------------------|---------------|--------------------------|-----------------|-----------------|--------------------|
| EKF1282 | ▶ | RGB Colour | 5050 SMD LED Chip | 60/m LEDs pcs | 8W/m Power | IP67 Protection Class | 1m Cutttable | 13/26mm Size | 5 meters Length |
|---------|---|---------------|----------------------|------------------|---------------|--------------------------|-----------------|-----------------|--------------------|



Akcesoria / Accessories

| | | | |
|---------|---|--------------------------------------|--|
| EKF4581 | ▶ | Middle Connector for Neon RGB | |
| EKF4598 | ▶ | Neon LED | |
| EKF4604 | ▶ | Power Cable with Controller Neon RGB | |
| EKF1139 | ▶ | RGB Controller with Remote | |

| | | | |
|---------|---|-------------------------------|--|
| EKF4543 | ▶ | Plug for Neon LED | |
| EKF4550 | ▶ | Plug for Neon RGB | |
| EKF4567 | ▶ | Middle Connector for Neon LED | |
| EKF4536 | ▶ | Power Cable for Neon LED | |
| EKF3483 | ▶ | Neon LED RGB | |





SZYNOPRZEWODY 1-OBWODOWE

TRACK LIGHT 1-CIRCUIT



| | | | | | |
|---------------|---|----------------|--------|------------------|---------------------|
| ML3916 | ▶ | ~230V/ 50Hz | 1.5m | 35°20° 1500mm | Black Metal |
| No. Art. | | Voltage | Length | Size | Colour/ Material |



| | | | | | |
|---------------|---|----------------|--------|------------------|---------------------|
| ML3917 | ▶ | ~230V/ 50Hz | 1.5m | 35°20° 1500mm | White Metal |
| No. Art. | | Voltage | Length | Size | Colour/ Material |



| | | | | | |
|---------------|---|----------------------|-----------------|------------|--------------------|
| ML7369 | ▶ | 1xGU10 MAX 25W | Not Included | Yes | Black Metal |
| No. Art. | | Power | Light Source | Adjustable | Colour Material |



| | | | | | |
|---------------|---|----------------------|-----------------|------------|--------------------|
| ML7368 | ▶ | 1xGU10 MAX 25W | Not Included | Yes | White Metal |
| No. Art. | | Power | Light Source | Adjustable | Colour Material |



| | | | | | |
|---------------|---|-----------|-----------------|------------------|-----------------|
| ML3909 | ▶ | 7W LED | 4000K | 700lm | Included |
| No. Art. | | Power | Colour Temp. | Luminous Flux | Light Source |



| | | | | | |
|---------------|---|-----------|-----------------|------------------|-----------------|
| ML3911 | ▶ | 7W LED | 4000K | 700lm | Included |
| No. Art. | | Power | Colour Temp. | Luminous Flux | Light Source |



| | | | | |
|---------------|---|----------------------|-----------------|--------------------|
| ML7669 | ▶ | 1xGU10 MAX 25W | Not Included | Black Metal |
| No. Art. | | Power | Light Source | Colour Material |



| | | | | |
|---------------|---|----------------------|-----------------|--------------------|
| ML7668 | ▶ | 1xGU10 MAX 25W | Not Included | White Metal |
| No. Art. | | Power | Light Source | Colour Material |



| | | | | | |
|---------------|---|-----------|-----------------|------------------|--------------------|
| ML6510 | ▶ | 3W LED | 4000K | 240lm | Black Metal |
| No. Art. | | Power | Colour Temp. | Luminous flux | Colour Material |

| | | | | | |
|---------------|---|-----------|-----------------|------------------|--------------------|
| ML6511 | ▶ | 3W LED | 4000K | 240lm | White Metal |
| No. Art. | | Power | Colour Temp. | Luminous flux | Colour Material |



| | | | |
|---------------|---|-----------------|-----------------|
| ML5702 | ▶ | 1xAR111 GU10 | Not Included |
| No. Art. | | Power | Light Source |



| | | | |
|---------------|---|-----------------|-----------------|
| ML5701 | ▶ | 1xAR111 GU10 | Not Included |
| No. Art. | | Power | Light Source |



| | | | |
|---------------|---|----------------------|-----------------|
| ML5711 | ▶ | 1xGU10 MAX 25W | Not Included |
| No. Art. | | Power | Light Source |



| | | | |
|---------------|---|----------------------|-----------------|
| ML5712 | ▶ | 1xGU10 MAX 25W | Not Included |
| No. Art. | | Power | Light Source |



| | | | | |
|---------------|---|----------------------|-----------------|--------------------|
| ML7677 | ▶ | 1xGU10 MAX 25W | Not Included | Black Metal |
| No. Art. | | Power | Light Source | Colour Material |



| | | | | |
|---------------|---|----------------------|-----------------|--------------------|
| ML7676 | ▶ | 1xGU10 MAX 25W | Not Included | White Metal |
| No. Art. | | Power | Light Source | Colour Material |



| | | | | | |
|---------------|---|-----------|-----------------|------------------|--------------------|
| ML6506 | ▶ | 3W LED | 4000K | 240lm | Black Metal |
| No. Art. | | Power | Colour Temp. | Luminous flux | Colour Material |

| | | | | | |
|---------------|---|-----------|-----------------|------------------|--------------------|
| ML6507 | ▶ | 3W LED | 4000K | 240lm | White Metal |
| No. Art. | | Power | Colour Temp. | Luminous flux | Colour Material |



| | | | | | |
|---------------|---|-----------|-----------------|------------------|--------------------|
| ML6508 | ▶ | 3W LED | 4000K | 240lm | Black Metal |
| No. Art. | | Power | Colour Temp. | Luminous flux | Colour Material |

| | | | | | |
|---------------|---|-----------|-----------------|------------------|--------------------|
| ML6509 | ▶ | 3W LED | 4000K | 240lm | White Metal |
| No. Art. | | Power | Colour Temp. | Luminous flux | Colour Material |

SZYNOPRZEWODY 1-OBWODOWE TRACK LIGHT 1-CIRCUIT



| | | | | |
|---------------|---|----------------------|-----------------|--------------------|
| ML7681 | ▶ | 1xGU10 MAX 25W | Not Included | Black Metal |
| No. Art. | | Power | Light Source | Colour Material |
| ML7680 | ▶ | 1xGU10 MAX 25W | Not Included | White Metal |
| No. Art. | | Power | Light Source | Colour Material |



| | | | | |
|---------------|---|----------------------|-----------------|--------------------|
| ML7673 | ▶ | 1xGU10 MAX 25W | Not Included | Black Metal |
| No. Art. | | Power | Light Source | Colour Material |
| ML7672 | ▶ | 1xGU10 MAX 25W | Not Included | White Metal |
| No. Art. | | Power | Light Source | Colour Material |

AKCESORIA 1-OBWODOWE ACCESSORIES FOR 1-CIRCUIT



| | | | |
|---------------|---|------|----------------|
| ML3923 | ▶ | - | ~230V/ 50Hz |
| No. Art. | | Type | Voltage |



| | | | |
|---------------|---|------|----------------|
| ML3919 | ▶ | L | ~230V/ 50Hz |
| No. Art. | | Type | Voltage |



| | | | |
|---------------|---|------|----------------|
| ML3921 | ▶ | T | ~230V/ 50Hz |
| No. Art. | | Type | Voltage |



| | | | |
|---------------|---|------|----------------|
| ML3922 | ▶ | - | ~230V/ 50Hz |
| No. Art. | | Type | Voltage |



| | | | |
|---------------|---|------|----------------|
| ML3918 | ▶ | L | ~230V/ 50Hz |
| No. Art. | | Type | Voltage |



| | | | |
|---------------|---|------|----------------|
| ML3920 | ▶ | T | ~230V/ 50Hz |
| No. Art. | | Type | Voltage |



| | | | | |
|---------------|---|------|----------------|----------|
| ML7102 | ▶ | ~ | ~230V/ 50Hz | Yes |
| No. Art. | | Type | Voltage | Flexible |



| | | | | |
|---------------|---|------|----------------|----------|
| ML7101 | ▶ | ~ | ~230V/ 50Hz | Yes |
| No. Art. | | Type | Voltage | Flexible |

SZYNOPRZEWODY 3-OBWODOWE TRACK LIGHT 3-CIRCUIT



| | | | | | |
|---------------|---|----------------|--------|------------------|--------------------|
| ML7080 | ▶ | ~230V/ 50Hz | 1.5m | 32*32* 1500mm | Black Aluminum |
| No. Art. | | Voltage | Length | Size | Colour Material |



| | | | | | |
|---------------|---|----------------|--------|------------------|--------------------|
| ML7079 | ▶ | ~230V/ 50Hz | 1.5m | 32*32* 1500mm | White Aluminum |
| No. Art. | | Voltage | Length | Size | Colour Material |



| | | | | | |
|---------------|---|-----------------|-----------------|----------------|--------------------|
| ML7057 | ▶ | 1xAR111 GU10 | Not Included | Ø120* 190mm | Black Aluminum |
| No. Art. | | Power | Light Source | Size | Colour Material |



| | | | | | |
|---------------|---|-----------------|-----------------|----------------|--------------------|
| ML7056 | ▶ | 1xAR111 GU10 | Not Included | Ø120* 190mm | White Aluminum |
| No. Art. | | Power | Light Source | Size | Colour Material |



| | | | | | |
|---------------|---|----------------------|-----------------|-----------------|--------------------|
| ML7059 | ▶ | 1xGU10 MAX 25W | Not Included | Ø60*90 210mm | Black Aluminum |
| No. Art. | | Power | Light Source | Size | Colour Material |



| | | | | | |
|---------------|---|----------------------|-----------------|-----------------|--------------------|
| ML7058 | ▶ | 1xGU10 MAX 25W | Not Included | Ø60*90 210mm | White Aluminum |
| No. Art. | | Power | Light Source | Size | Colour Material |



SZYNOPRZEWODY 3-OBWODOWE TRACK LIGHT 3-CIRCUIT



| | | | | | |
|---------------|---|----------------------|-----------------|-----------------|--------------------------------|
| ML7679 | ▶ | 1xGU10 MAX 25W | Not Included | 90°90° 205mm | Black Aluminum + Plastic |
| No. Art. | | Power | Light Source | Size | Colour Material |



| | | | | | |
|---------------|---|----------------------|-----------------|-----------------|--|
| ML7671 | ▶ | 1xGU10 MAX 25W | Not Included | 90°90° 205mm | Black Aluminum + Plastic +Acrylic |
| No. Art. | | Power | Light Source | Size | Colour Material |



| | | | | | |
|---------------|---|----------------------|-----------------|-----------------|--------------------------------|
| ML7678 | ▶ | 1xGU10 MAX 25W | Not Included | 90°90° 205mm | White Aluminum + Plastic |
| No. Art. | | Power | Light Source | Size | Colour Material |



| | | | | | |
|---------------|---|----------------------|-----------------|-----------------|--|
| ML7670 | ▶ | 1xGU10 MAX 25W | Not Included | 90°90° 205mm | White Aluminum + Plastic +Acrylic |
| No. Art. | | Power | Light Source | Size | Colour Material |



| | | | | | |
|---------------|---|----------------------|-----------------|------------------|--------------------------------|
| ML7683 | ▶ | 1xGU10 MAX 25W | Not Included | 90°90° 1350mm | Black Aluminum + Plastic |
| No. Art. | | Power | Light Source | Size | Colour Material |



| | | | | | |
|---------------|---|----------------------|-----------------|------------------|---|
| ML7675 | ▶ | 1xGU10 MAX 25W | Not Included | 90°90° 1350mm | Black Aluminum + Plastic + Acrylic |
| No. Art. | | Power | Light Source | Size | Colour Material |

| | | | | | |
|---------------|---|----------------------|-----------------|------------------|--------------------------------|
| ML7682 | ▶ | 1xGU10 MAX 25W | Not Included | 90°90° 1350mm | White Aluminum + Plastic |
| No. Art. | | Power | Light Source | Size | Colour Material |

| | | | | | |
|---------------|---|----------------------|-----------------|------------------|---|
| ML7674 | ▶ | 1xGU10 MAX 25W | Not Included | 90°90° 1350mm | White Aluminum + Plastic + Acrylic |
| No. Art. | | Power | Light Source | Size | Colour Material |

AKCESORIA 3-OBWODOWE ACCESSORIES FOR 3-CIRCUIT



| | | | |
|---------------|---|----------------|----------------|
| ML7082 | ▶ | Power Guide | -230V/ 50Hz |
| No. Art. | | Type | Voltage |



| | | | |
|---------------|---|------|----------------|
| ML7084 | ▶ | - | -230V/ 50Hz |
| No. Art. | | Type | Voltage |



| | | | |
|---------------|---|------|----------------|
| ML7088 | ▶ | LU | -230V/ 50Hz |
| No. Art. | | Type | Voltage |



| | | | |
|---------------|---|----------------|----------------|
| ML7081 | ▶ | Power Guide | -230V/ 50Hz |
| No. Art. | | Type | Voltage |



| | | | |
|---------------|---|------|----------------|
| ML7083 | ▶ | - | -230V/ 50Hz |
| No. Art. | | Type | Voltage |



| | | | |
|---------------|---|------|----------------|
| ML7087 | ▶ | LU | -230V/ 50Hz |
| No. Art. | | Type | Voltage |



| | | | |
|---------------|---|------|----------------|
| ML7086 | ▶ | LD | -230V/ 50Hz |
| No. Art. | | Type | Voltage |



| | | | |
|---------------|---|------|----------------|
| ML7094 | ▶ | T UL | -230V/ 50Hz |
| No. Art. | | Type | Voltage |



| | | | |
|---------------|---|------|----------------|
| ML7090 | ▶ | T DL | -230V/ 50Hz |
| No. Art. | | Type | Voltage |



| | | | |
|---------------|---|------|----------------|
| ML7085 | ▶ | LD | -230V/ 50Hz |
| No. Art. | | Type | Voltage |



| | | | |
|---------------|---|------|----------------|
| ML7093 | ▶ | T UL | -230V/ 50Hz |
| No. Art. | | Type | Voltage |



| | | | |
|---------------|---|------|----------------|
| ML7089 | ▶ | T DL | -230V/ 50Hz |
| No. Art. | | Type | Voltage |



| | | | |
|---------------|---|------|----------------|
| ML7096 | ▶ | T UR | -230V/ 50Hz |
| No. Art. | | Type | Voltage |



| | | | |
|---------------|---|------|----------------|
| ML7092 | ▶ | T DR | -230V/ 50Hz |
| No. Art. | | Type | Voltage |



| | | | |
|---------------|---|------|----------------|
| ML7098 | ▶ | + | -230V/ 50Hz |
| No. Art. | | Type | Voltage |



| | | | |
|---------------|---|------|----------------|
| ML7095 | ▶ | T UR | -230V/ 50Hz |
| No. Art. | | Type | Voltage |



| | | | |
|---------------|---|------|----------------|
| ML7091 | ▶ | T DR | -230V/ 50Hz |
| No. Art. | | Type | Voltage |



| | | | |
|---------------|---|------|----------------|
| ML7097 | ▶ | + | -230V/ 50Hz |
| No. Art. | | Type | Voltage |



| | | | | |
|---------------|---|------|----------------|----------|
| ML7100 | ▶ | | -230V/ 50Hz | Yes |
| No. Art. | | Type | Voltage | Flexible |



| | | | | |
|---------------|---|------|----------------|----------|
| ML7099 | ▶ | | -230V/ 50Hz | Yes |
| No. Art. | | Type | Voltage | Flexible |

SZYNOPRZEWODY MAGNETYCZNE + AKCESORIA

MAGNETIC TRACK LIGHT + ACCESSORIES




ML6630 ▶
No. Art.

1.5m
Length

26*50*1500mm
Size

Black Aluminum
Colour Material

Surface
Mounting



ML6736 ▶
No. Art.

L
Type

DOWN CONNECTOR
Use for ML6630

Black Aluminum
Colour Material



ML6631 ▶
No. Art.

1.5m
Length

76*50*1500mm
Size

Black Aluminum
Colour Material

Recessed
Mounting



ML6735 ▶
No. Art.

L
Type

SIDE CONNECTOR
Use for ML6630

Black Aluminum
Colour Material



ML6624 ▶
No. Art.

10W LED
Power

1000 lm
Luminous Flux

4000K
Colour Temp.

292*25*22mm
Size

Black Aluminum
Colour Material



ML6633 ▶
No. Art.

L
Type

DOWN CONNECTOR
Use for ML6631

Black Aluminum
Colour Material



ML6625 ▶
No. Art.

10W LED
Power

1000 lm
Luminous Flux

4000K
Colour Temp.

292*25*22mm
Size

Black Aluminum
Colour Material



ML6632 ▶
No. Art.

L
Type

SIDE CONNECTOR
Use for ML6631

Black Aluminum
Colour Material



ML6626 ▶
No. Art.

10W LED
Power

1000 lm
Luminous Flux

4000K
Colour Temp.

292*292*25*22 mm
Size

Black Aluminum
Colour Material



ML6634 ▶
No. Art.

-
Type

MAGNETIC CONNECTOR
Use for ML6631

Black Aluminum
Colour Material



ML6627 ▶
No. Art.

10W LED
Power

1000 lm
Luminous Flux

4000K
Colour Temp.

50*50*136 mm
Size

Black Aluminum
Colour Material



ML6635 ▶
No. Art.

-
Type

MAGNETIC WITH CABLE
Use for ML6631

Black Aluminum
Colour Material



ML6628 ▶
No. Art.

12W LED
Power

1200 lm
Luminous Flux

4000K
Colour Temp.

235*23*88mm
Size

Black Aluminum
Colour Material



ML6636 ▶
No. Art.

-
Type

MAGNETIC WITH CABLE
Use for ML6631

2x Black Aluminum
Colour Material



ML6629 ▶
No. Art.

7W LED
Power

700 lm
Luminous Flux

4000K
Colour Temp.

35*35*200mm
Size

Black Aluminum
Colour Material



ML6737 ▶
No. Art.

-
Type

FOR THE GUIDE
Use for ML6631

Black Aluminum
Colour Material



EKZA56637 ▶
No. Art.

100W
Power

IP20
Internal Protection (IP)

214*22*44mm
Size



EKZA57103 ▶
No. Art.

150W
Power

IP20
Internal Protection (IP)

234*22*44mm
Size



EKZA56638 ▶
No. Art.

200W
Power

IP20
Internal Protection (IP)

304*22*44mm
Size



ZESTAWY TRACK LIGHT

TRACK LIGHT SETS

MICA BLACK SET



| | | | | | | | |
|---------------|---|----------------------|----------------|--------------------|----------------------------|-------------------|-----------------|
| ML8277 | ▶ | 3xGU10 MAX 25W | ~230V/ 50Hz | 90°*210° 1500mm | 1x Rail + 3x Fixture | Black Aluminum | Not Included |
| No. Art. | | Power | Voltage | Size | Set | Colour | Light Source |

MICA WHITE SET



| | | | | | | | |
|---------------|---|----------------------|----------------|--------------------|----------------------------|-------------------|-----------------|
| ML8276 | ▶ | 3xGU10 MAX 25W | ~230V/ 50Hz | 90°*210° 1500mm | 1x Rail + 3x Fixture | White Aluminum | Not Included |
| No. Art. | | Power | Voltage | Size | Set | Colour | Light Source |

LUGAR BLACK SET



| | | | | | | | |
|---------------|---|-------------|----------------|--------------------|----------------------------|-------------------|-----------------|
| ML7912 | ▶ | 3x AR111 | ~230V/ 50Hz | 90°*210° 1500mm | 1x Rail + 3x Fixture | White Aluminum | Not Included |
| No. Art. | | Power | Voltage | Size | Set | Colour | Light Source |

LUGAR WHITE SET



| | | | | | | | |
|---------------|---|-------------|----------------|--------------------|----------------------------|-------------------|-----------------|
| ML7449 | ▶ | 3x AR111 | ~230V/ 50Hz | 90°*210° 1500mm | 1x Rail + 3x Fixture | White Aluminum | Not Included |
| No. Art. | | Power | Voltage | Size | Set | Colour | Light Source |

PIPE BLACK SET



| | | | | | | | |
|---------------|---|----------------------|----------------|--------------------|----------------------------|-------------------|-----------------|
| ML8719 | ▶ | 3xGU10 MAX 25W | ~230V/ 50Hz | 90°*210° 1500mm | 1x Rail + 3x Fixture | Black Aluminum | Not Included |
| No. Art. | | Power | Voltage | Size | Set | Colour | Light Source |

PIPE WHITE SET



| | | | | | | | |
|---------------|---|----------------------|----------------|--------------------|----------------------------|-------------------|-----------------|
| ML8720 | ▶ | 3xGU10 MAX 25W | ~230V/ 50Hz | 90°*210° 1500mm | 1x Rail + 3x Fixture | White Aluminum | Not Included |
| No. Art. | | Power | Voltage | Size | Set | Colour | Light Source |

PIPE RING BLACK SET



| | | | | | | | |
|---------------|---|----------------------|----------------|--------------------|----------------------------|-------------------|-----------------|
| ML8721 | ▶ | 3xGU10 MAX 25W | ~230V/ 50Hz | 90°*210° 1500mm | 1x Rail + 3x Fixture | Black Aluminum | Not Included |
| No. Art. | | Power | Voltage | Size | Set | Colour | Light Source |

PIPE RING WHITE SET














| | | | | | | | |
|---------------|---|----------------------|----------------|--------------------|----------------------------|-------------------|-----------------|
| ML8722 | ▶ | 3xGU10 MAX 25W | ~230V/ 50Hz | 90°*210° 1500mm | 1x Rail + 3x Fixture | White Aluminum | Not Included |
| No. Art. | | Power | Voltage | Size | Set | Colour | Light Source |

PLAFONY LED

CEILING LED FIXTURES



| | | | | | | |
|--|---------------------------|-------------------------|---------------------------------|------------------------------|-----------------------------|---|
|  | ML6402 No. Art. | 18W LED Power | 1260 lm Luminous Flux | 4000K Colour Temp. | Ø280*40mm Size | Black Metal + Acrylic Colour Material |
|  | ML6401 No. Art. | 18W LED Power | 1260 lm Luminous Flux | 4000K Colour Temp. | Ø280*40mm Size | White Metal + Acrylic Colour Material |
|  | ML6404 No. Art. | 28W LED Power | 1960 lm Luminous Flux | 4000K Colour Temp. | Ø360*40mm Size | Black Metal + Acrylic Colour Material |
|  | ML6403 No. Art. | 28W LED Power | 1960 lm Luminous Flux | 4000K Colour Temp. | Ø360*40mm Size | White Metal + Acrylic Colour Material |
|  | ML6065 No. Art. | 10W LED Power | 960 lm Luminous Flux | 4000K Colour Temp. | Ø260*60mm Size | White Metal + Acrylic Colour Material |
|  | ML6066 No. Art. | 19W LED Power | 1985 lm Luminous Flux | 4000K Colour Temp. | Ø390*60mm Size | White Metal + Acrylic Colour Material |
|  | ML6067 No. Art. | 13W LED Power | 1375 lm Luminous Flux | 4000K Colour Temp. | 280*280*60mm Size | White Metal + Acrylic Colour Material |
|  | ML6068 No. Art. | 19W LED Power | 1850 lm Luminous Flux | 4000K Colour Temp. | 330*330*60mm Size | White Metal + Acrylic Colour Material |
|  | EK5362 No. Art. | 11W LED Power | 990 lm Luminous Flux | 4000K Colour Temp. | 260*260*60mm Size | White Metal + Acrylic Colour Material |
|  | EK5363 No. Art. | 17W LED Power | 1530 lm Luminous Flux | 4000K Colour Temp. | 330*330*60mm Size | White Metal + Acrylic Colour Material |
|  | EK5364 No. Art. | 27W LED Power | 2430 lm Luminous Flux | 4000K Colour Temp. | 430*430*60mm Size | White Metal + Acrylic Colour Material |



ML6403



PLAFONY LED CEILING LED FIXTURES



EK7792

| | | | | | | |
|---------------------------|---------------------------|---------------------------------|------------------------------|-----------------------------|---|--|
| ML4266 No. Art. | ▶ 10W LED Power | 900 lm Luminous Flux | 4000K Colour Temp. | Ø260* 60mm Size | White Metal + Acrylic Colour Material | |
| ML4267 No. Art. | ▶ 16W LED Power | 1440 lm Luminous Flux | 4000K Colour Temp. | Ø330* 60mm Size | White Metal + Acrylic Colour Material | |
| ML4268 No. Art. | ▶ 20W LED Power | 1800 lm Luminous Flux | 4000K Colour Temp. | Ø390* 40mm Size | White Metal + Acrylic Colour Material | |
| ML7789 No. Art. | ▶ 15W LED Power | **** lm Luminous Flux | 4000K Colour Temp. | Ø330* 60mm Size | Black Metal + Acrylic Colour Material | |
| ML7790 No. Art. | ▶ 15W LED Power | **** lm Luminous Flux | 4000K Colour Temp. | Ø330* 60mm Size | Gold Metal + Acrylic Colour Material | |
| EK7791 No. Art. | ▶ 17W LED Power | 1530 lm Luminous Flux | 4000K Colour Temp. | 330*330 60mm Size | Black Metal + Acrylic Colour Material | |
| EK7792 No. Art. | ▶ 17W LED Power | 1530 lm Luminous Flux | 4000K Colour Temp. | 330*330 60mm Size | Gold Metal + Acrylic Colour Material | |

PLAFONY LED + PIR CEILING LED FIXTURES + PIR

| | | | | | | | |
|---------------------------|---------------------------|---------------------------------|------------------------------|-----------------------------|---|---------|--|
| ML7970 No. Art. | ▶ 15W LED Power | **** lm Luminous Flux | 4000K Colour Temp. | Ø330* 60mm Size | Black Metal + Acrylic Colour Material | PIR | |
| ML7971 No. Art. | ▶ 17W LED Power | 1530 lm Luminous Flux | 4000K Colour Temp. | 330*330 60mm Size | Black Metal + Acrylic Colour Material | PIR | |

LAMPY OGRODOWE

GARDEN LAMPS



EKO3490
 EKO3537

| | |
|------------------|---------------|
| 1xE27 | NOT INCLUDED |
| Socket | Bulb |
| ACRYL+ ALUMINIUM | 215/170/220mm |
| Material | Size |

EKO3506
 EKO3544

| | |
|------------------|---------------|
| 1xE27 | NOT INCLUDED |
| Socket | Bulb |
| ACRYL+ ALUMINIUM | 910/370/250mm |
| Material | Size |

EKO3513
 EKO3551

| | |
|------------------|---------------|
| 1xE27 | NOT INCLUDED |
| Socket | Bulb |
| ACRYL+ ALUMINIUM | 170/170/290mm |
| Material | Size |

EKO3520
 EKO3568

| | |
|------------------|---------------|
| 1xE27 | NOT INCLUDED |
| Socket | Bulb |
| ACRYL+ ALUMINIUM | 910/370/600mm |
| Material | Size |



EKO3568 + EKO3544



LAMPY OGRODOWE

GARDEN LAMPS

CIRCULO EKO6641

| | |
|------------------|---------------|
| 1xE27 | NOT INCLUDED |
| Socket | Bulb |
| ACRYL+ ALUMINIUM | 200/230/200mm |
| Material | Size |

IP44
Internal Protection (IP)



OVALIS EKO8302

| | |
|------------------|--------------|
| 1xGU10 | NOT INCLUDED |
| Socket | Bulb |
| ACRYL+ ALUMINIUM | 81/92/68mm |
| Material | Size |

IP44
Internal Protection (IP)



CIRCULO EKO6642

| | |
|------------------|--------------------|
| 1xE27 | NOT INCLUDED |
| Socket | Bulb |
| ACRYL+ ALUMINIUM | 200/200/500-900 mm |
| Material | Size |

IP44
Internal Protection (IP)



BOKA EKO8326

| | |
|------------------|--------------|
| 1xGU10 | NOT INCLUDED |
| Socket | Bulb |
| ACRYL+ ALUMINIUM | 81/92/68mm |
| Material | Size |

IP44
Internal Protection (IP)



CIRCULO EKO6643

| | |
|------------------|---------------|
| 1xE27 | NOT INCLUDED |
| Socket | Bulb |
| ACRYL+ ALUMINIUM | 200/200/320mm |
| Material | Size |

IP44
Internal Protection (IP)



OVALIS EKO8319

| | |
|------------------|--------------|
| 2xGU10 | NOT INCLUDED |
| Socket | Bulb |
| ACRYL+ ALUMINIUM | 81/150/68mm |
| Material | Size |

IP44
Internal Protection (IP)



BOKA EKO8333

| | |
|------------------|--------------|
| 2xGU10 | NOT INCLUDED |
| Socket | Bulb |
| ACRYL+ ALUMINIUM | 81/150/68mm |
| Material | Size |

IP44
Internal Protection (IP)



CIRCULO EKO6644

| | |
|------------------|-----------------|
| 2xE27 | NOT INCLUDED |
| Socket | Bulb |
| ACRYL+ ALUMINIUM | 470/200/2000 mm |
| Material | Size |

IP44
Internal Protection (IP)



KETTO EKO8340

| | |
|------------------|---------------|
| 2xGU10 | NOT INCLUDED |
| Socket | Bulb |
| ACRYL+ ALUMINIUM | 254/450/120mm |
| Material | Size |

IP65
Internal Protection (IP)



VILO EKO8357

| | |
|------------------|--------------|
| 1xGU10 | NOT INCLUDED |
| Socket | Bulb |
| ACRYL+ ALUMINIUM | 98/263/330mm |
| Material | Size |

IP65
Internal Protection (IP)





EKO3568 + EKO3544



EKO1601



| | | |
|--------------|---------|--------------------|
| NOT INCLUDED | 10x E27 | 1,5mm ² |
| Bulbs | Sockets | Wire Info |
| 44 | | 10m |
| IP | Hook | Length |

EKO1618



| | | |
|--------------|---------|--------------------|
| NOT INCLUDED | 15x E27 | 1,5mm ² |
| Bulbs | Sockets | Wire Info |
| 44 | | 15m |
| IP | Hook | Length |

EKO1588



| | |
|--------------------|---------|
| NOT INCLUDED | 5x E27 |
| Bulb | Sockets |
| 44 | |
| IP | Hook |
| 1,5mm ² | 5m |
| Wire Info | Length |

EKO1625



| | | |
|--------------|---------|--------------------|
| NOT INCLUDED | 20x E27 | 1,5mm ² |
| Bulbs | Sockets | Wire Info |
| 44 | | 20m |
| IP | Hook | Length |



EKO1571



| | | |
|--------------|-------------------|--------------------|
| NOT INCLUDED | 5x E27 | 1,5mm ² |
| Bulbs | Sockets | Wire Info |
| 44 | | 5m |
| IP | Additional Socket | Length |

EKO1595



| | | |
|--------------|-------------------|--------------------|
| NOT INCLUDED | 10x E27 | 1,5mm ² |
| Bulbs | Sockets | Wire Info |
| 44 | | 10m |
| IP | Additional Socket | Length |

EKO1632



| | | |
|--------------|-------------------|--------------------|
| NOT INCLUDED | 20x E27 | 1,5mm ² |
| Bulbs | Sockets | Wire Info |
| 44 | | 20m |
| IP | Additional Socket | Length |

EKO1892



| | | |
|--------------|-------------------|--------------------|
| NOT INCLUDED | 15x E27 | 1,5mm ² |
| Bulbs | Sockets | Wire Info |
| 44 | | 15m |
| IP | Additional Socket | Length |



EKO6918 ▶

Not included Bulb **44** IP

~230V 50/60Hz Voltage Wire Info **1.0mm²**

10m Length



EKO6932 ▶

Not included Bulb **44** IP

~230V 50/60Hz Voltage Wire Info **1.0mm²**

15m Length



EKO6925 ▶

2700K Kelvin Bulb **10x ST45 E27**


44 IP Voltage ~230V 50/60Hz Wire Info **1.0mm²** Length **10m**



EKO9889 ▶


Not included Bulb **44** IP

~230V 50/60Hz Voltage Wire Info **1.0mm²** Length **15m**



EKO0528 ▶

~230V 50/60Hz Voltage Hook for Garland **EKO6918 EKO6925 EKO6932**




EKO3834 ▶

2m Length ~230V 50/60Hz Voltage Power cable / extension cord **EKO6202 EKO6219 EKO6226**



EKO9896 ▶

~230V 50/60Hz Voltage Hook for Garland **EKO9889**



EKO7558 ▶


2m Length ~230V 50/60Hz Voltage Power cable / extension cord **EKO6202 EKO6219 EKO6226**



Polecane żarówki (E27) Recommend bulbs (E27)


EKZF1050 ▶

No. Art. **1W=10W** Power **70 lm** Luminous flux **2700K** Colour




EKZF1074 ▶

No. Art. **2W=20W** Power **250 lm** Luminous flux **2700K** Colour




EKZF1076 ▶

No. Art. **1,5W=15W** Power **100 lm** Luminous flux **2700K** Colour




EKZF7807 ▶

No. Art. **4W=33W** Power **400 lm** Luminous flux **2700K** Colour




EKZF8123 ▶

No. Art. **0,5W=6W** Power **40 lm** Luminous flux **2700K** Colour




EKZA3621 ▶

No. Art. **4W=33W** Power **400 lm** Luminous flux **2700K** Colour



EKZF8262 ▶

No. Art. **1W=8W** Power **70 lm** Luminous flux **2700K** Colour



EKZF8263 ▶

No. Art. **1W=6W** Power **50 lm** Luminous flux **2700K** Colour



LAMPY SOLARNE BUTTERFLY

BUTTERFLY SOLAR LAMPS



EKO8817



EKO3867

| | | | | |
|----------------------------------|---|-------------------------------|---|--|
| EKO8817 EKO3867 | 1,5W= 22,4W Power | 220lm Luminous Flux | Li-on 1200 mAh 3.7V Battery | 0.7Wp Poly-crystalline silicon Solar Panel |
| | 4000k Kelvin | Solar Loading | IP | PIR |
| | FRONT: 12 pcs BACK: 2pcs SMD 2835 | 90° Beam Angle | φ144/ 96/ 79mm Size | 5-6hrs Working Time |



EKO8824



EKO3874

| | | | | |
|----------------------------------|---|-------------------------------|---|--|
| EKO8824 EKO3874 | 3,2W= 38,4W Power | 400lm Luminous Flux | Li-on 2000 mAh 3.7V Battery | 2.3Wp Poly-crystalline silicon Solar Panel |
| | 4000k Kelvin | Solar Loading | IP | PIR |
| | FRONT: 28 pcs BACK: 2pcs SMD 2835 | 120° Beam Angle | φ212/ 140/ 109mm Size | 5-6hrs Working Time |



EKO3997



EKO3881

| | | | | |
|----------------------------------|---|-------------------------------|---|--|
| EKO3997 EKO3881 | 6,8W= 70,8W Power | 800lm Luminous Flux | Li-on 4000 mAh 3.7V Battery | 4.4Wp Poly-crystalline silicon Solar Panel |
| | 4000k Kelvin | Solar Loading | IP | PIR |
| | FRONT: 56 pcs BACK: 4pcs SMD 2835 | 120° Beam Angle | 270* 221* 109mm Size | 5-6hrs Working Time |



| | | | | |
|----------------|--------------------------|-------------------------------|---|---|
| EKO8328 | 8W Power | 950lm Luminous Flux | Li-on 4000 mAh 3.7V Battery | 4.5Wp Mono-crystalline + Tempered glass Solar Panel |
| | 4000k Kelvin | Solar Loading | IP | PIR |
| | 64pcs SMD 2835 | 120° Beam Angle | 267.9* 214* 75.9mm Size | A: 3-5 Nights B: 2-3 Nights Working Modes |



LAMPY SOLARNE DROGOWE

SOLAR STREET LIGHTS



EKO1991

| | | | |
|------------------------|--------------------------------|---|---|
| 7W Power | 700 lm Luminous Flux | Li-on 5400 mAh 3.7V Battery | 120° ≤6m PIR |
| 4000K Kelvin | Solar Loading | IP65 IP | φ190/ 233/ 100mm Size |



EKO2004

| | | | |
|------------------------|---------------------------------|---|---|
| 15W Power | 1500 lm Luminous Flux | Li-on 5400 mAh 7.4V Battery | 120° ≤6m PIR |
| 4000K Kelvin | Solar Loading | IP65 IP | φ258/ 310/ 127mm Size |



EKO2011

| | | | |
|------------------------|--------------------------------|---|--|
| 8W Power | 850 lm Luminous Flux | Li-on 6000 mAh 3.7V Battery | 120° ≤6m PIR |
| 4000K Kelvin | Solar Loading | IP65 IP | φ194/ 351/ 50mm Size |



EKO2028

| | | | |
|------------------------|---------------------------------|---|--|
| 15W Power | 1600 lm Luminous Flux | Li-on 5400 mAh 7.4V Battery | 120° ≤6m PIR |
| 4000K Kelvin | Solar Loading | IP65 IP | φ232/ 413/ 50mm Size |

LAMPY SOLARNE

SOLAR LAMPS



EKO0436
No. Art.

0,1W
Power

**1x1.2V
2/3 AAA
300mAh
NI-MH**
Battery

**4.6/
4.6cm**
Solar Panel
(Amorphous)

IP44
Internal
Protection

**10/10/
65cm**
Size

**Powered
by the sun**



EKO0504
No. Art.

0,12W
Power

**1x1.2V AA
300mAh
NI-MH**
Battery

**2V/
120mA**
Solar Panel

IP44
Internal
Protection

3,8m
Lead Wire
Length

**Powered
by the sun**

10x
Bulbs



EKO0443
No. Art.

0,14W
Power

**1x1.2V AA
300mAh
NI-MH**
Battery

**2V/
70mA**
Solar Panel

IP44
Internal
Protection

1,5m
LED Wire
Length

**Powered
by the sun**



EKO0450
No. Art.

0,24W
Power

**1x1.2V AA
600mAh
NI-MH**
Battery

**2V/
120mA**
Solar Panel

IP44
Internal
Protection

**15/15
cm**
Hemisphere
Size

**Powered
by the sun**



EKO8831
No. Art.

0,18W
Power

**1x1.2V AA
200mAh
NI-MH**
Battery

**Amor-
phous**
Solar Panel

**1 x
LETTERS
SET (A-Z)**
Stickers
included

IP44
Internal
Protection

**18/3/20
cm**
Size

**Powered
by the sun**

**2 x
NUMBERS
SET**
Stickers
included



LAMPY SOLARNE SOLAR LIGHT

EKO852
No. Art.



| | | |
|-----------------------|-----------------------------------|------------------------|
| 0,06W Power | 297/47/ 47mm Size | 6000K Colour |
| IP44 IP | Ni-Mh 40maH Battery | Twilight Sensor |



EKO4772
No. Art.



| | | |
|-----------------------|-----------------------------------|------------------------|
| 0,06W Power | 350/55/ 55mm Size | Colour |
| IP44 IP | Ni-Mh 40mAH Battery | Twilight Sensor |



EKO853
No. Art.



| | | |
|----------------------|-----------------------------------|------------------------|
| 0,2W Power | 297/47/ 47mm Size | 6000K Colour |
| IP44 IP | Ni-Mh 40mAH Battery | Twilight Sensor |



EKO4789
No. Art.



| | | |
|-----------------------|-----------------------------------|------------------------|
| 0,06W Power | 390/95/ 95mm Size | 6000K Colour |
| IP44 IP | Ni-Mh 40mAH Battery | Twilight Sensor |



EKO4796
No. Art.



| | | |
|-----------------------|-----------------------------------|------------------------|
| 0,06W Power | 330/46/ 46mm Size | 6000K Colour |
| IP44 IP | Ni-Mh 40mAH Battery | Twilight Sensor |



EKO4802
No. Art.



| | | |
|-----------------------|-----------------------------------|------------------------|
| 0,06W Power | 330/46/ 46mm Size | 6000K Colour |
| IP44 IP | Ni-Mh 40mAH Battery | Twilight Sensor |



EKO4826
No. Art.



| | | |
|-----------------------|-----------------------------------|------------------------|
| 0,06W Power | 340/100/ 100mm Size | 6000K Colour |
| IP44 IP | Ni-Mh 40mAH Battery | Twilight Sensor |



EKO4819
No. Art.



| | | |
|-----------------------|-----------------------------------|------------------------|
| 0,06W Power | 110/110/ 46mm Size | 6000K Colour |
| IP44 IP | Ni-Mh 40mAH Battery | Twilight Sensor |





▶ EKNA551

**NÓŻ UNIWERSALNY
Z MAGAZYNKIEM NA 8 OSTRZY**



▶ EKNA685

MIARA ZWIJANA 5M*19mm



▶ EKNA548

GRZECHOTKA 1/2"



▶ EKNA4015

**KLUCZ
NASTAWNY 8"**

▶ EKNA4016

**KLUCZ
NASTAWNY 10"**



▶ EKNA4012

SZCZYPCE BOCZNE 160



▶ EKNA3675

SZCZYPCE UNIWERSALNE 160



▶ EKNA3676

SZCZYPCE UNIWERSALNE 180



- ▶ EKNA677 KLUCZ PŁASKO-OCZKOWY 8
- ▶ EKNA680 KLUCZ PŁASKO-OCZKOWY 9
- ▶ EKNA979 KLUCZ PŁASKO-OCZKOWY 10
- ▶ EKNA980 KLUCZ PŁASKO-OCZKOWY 12
- ▶ EKNA814 KLUCZ PŁASKO-OCZKOWY 13
- ▶ EKNA982 KLUCZ PŁASKO-OCZKOWY 14
- ▶ EKNA983 KLUCZ PŁASKO-OCZKOWY 15
- ▶ EKNA984 KLUCZ PŁASKO-OCZKOWY 17
- ▶ EKNA985 KLUCZ PŁASKO-OCZKOWY 19
- ▶ EKNA986 KLUCZ PŁASKO-OCZKOWY 22
- ▶ EKNA987 KLUCZ PŁASKO-OCZKOWY 24
- ▶ EKNA883 KLUCZ PŁASKO-OCZKOWY 27



- ▶ EKNA890 ŚRUBOKRĘT 5*75 +
- ▶ EKNA906 ŚRUBOKRĘT 5*100 +
- ▶ EKNA913 ŚRUBOKRĘT 5*150 +
- ▶ EKNA920 ŚRUBOKRĘT 6*100 +
- ▶ EKNA937 ŚRUBOKRĘT 6*150 +
- ▶ EKNA944 ŚRUBOKRĘT 8*200 +
- ▶ EKNA951 ŚRUBOKRĘT 5*75 -
- ▶ EKNA996 ŚRUBOKRĘT 5*100 -
- ▶ EKNA997 ŚRUBOKRĘT 5*150 -
- ▶ EKNA998 ŚRUBOKRĘT 6*100 -
- ▶ EKNA999 ŚRUBOKRĘT 6*150 -
- ▶ EKNA001 ŚRUBOKRĘT 8*200 -

TRYTYTKI - ZACISKI NYLONOWE BIAŁE



- ▶ EK8587 2.5*100mm 100szt/pcs
- ▶ EK8588 2.5*160mm 100szt/pcs
- ▶ EK8589 3.6*200mm 100szt/pcs
- ▶ EK8590 3.6*280mm 100szt/pcs
- ▶ EK8591 4.8*200mm 100szt/pcs
- ▶ EK8592 4.8*290mm 100szt/pcs
- ▶ EK8593 4.8*360mm 100szt/pcs
- ▶ EK8594 4.8*500mm 50szt/pcs

TRYTYTKI - ZACISKI NYLONOWE CZARNE



- ▶ EK8579 2.5*100mm 100szt/pcs
- ▶ EK8580 2.5*160mm 100szt/pcs
- ▶ EK8581 3.6*200mm 100szt/pcs
- ▶ EK8582 3.6*280mm 100szt/pcs
- ▶ EK8583 4.8*200mm 100szt/pcs
- ▶ EK8584 4.8*290mm 100szt/pcs
- ▶ EK8585 4.8*360mm 100szt/pcs
- ▶ EK8586 4.8*500mm 50szt/pcs



EKNA131

ZESTAW KLUCZY TORX



EKNA7166

NÓŻ UNIWERSALNY



EKNA424

ZESTAW KLUCZY
IMBUSOWYCH

EKNA111

KLEJ W SZTYFCIE 10szt
(11*100mm)

EKNA722

ZESTAW KLUCZY
PŁASKOOCZKOWYCH


INSTRUKCJA ŁĄCZENIA - TRACK LIGHT 3-OBWODOWY

USER MANUAL - TRACK LIGHT 3-CIRCUIT



| | | | |
|-------------------|------------------|--|--|
| power end cap „-“ | CONNECTOR „-“ | D - DOWN U - UP L - LEFT R - RIGHT WH - WHITE BL - BLACK STYK UZIEMIENIAJĄCY | |
| CONNECTOR „L“ D | CONNECTOR „L“ U | | |
| CONNECTOR „T“ DL | CONNECTOR „T“ DR | | |
| CONNECTOR „T“ UL | CONNECTOR „T“ UR | | |
| CONNECTOR „FLEX“ | | | |
| CONNECTOR „+“ | | | |

MILAGRO[®]
Brand that inspires





| | |
|---|----|
| O FIRMIE / ABOUT COMPANY | 02 |
| INNE KATALOGI / OTHER CATALOGS | 03 |
| HIGH BAY / HIGH BAY | 04 |
| NAŚWIETLACZE / FLOODLIGHTS | 04 |
| NAŚWIETLACZE / FLOODLIGHTS | 05 |
| NAŚWIETLACZE / FLOODLIGHTS | 06 |
| PASKI LED ZESTAWY / LED STRIP KITS | 07 |
| PASKI LED / LED STRIP | 08 |
| PASKI LED COB / COB LED STRIP | 08 |
| PASKI LED PREMIUM / PREMIUM LED STRIP | 09 |
| AKCESORIA / ACCESSORIES | 10 |
| ZASILACZE / POWER SUPPLIES | 10 |
| PROFILE LED / LED PROFILES | 11 |
| PANELE LED / LED PANELS | 12 |
| OŚWIETLENIE TECHNICZNE - OPRAWY BATTEN / TECHNICAL LIGHTING - BATTEN LED LIGHT | 13 |
| OŚWIETLENIE TECHNICZNE / TECHNICAL LIGHTING | 14 |
| TUBY LED / LED TUBES | 15 |
| TUBY LED PREMIUM / PREMIUM LED TUBES | 16 |
| ŻARÓWKI LED / LED BULBS | 17 |
| ŻARÓWKI LED / LED BULBS | 18 |
| ŻARÓWKI LED AR111 / AR111 LED BULBS | 19 |
| OŚWIETLENIE SMART / SMART LIGHTING | 20 |
| ŻARÓWKI FILAMENTOWE LED / LED FILAMENT BULBS | 21 |
| ŻARÓWKI DEKORACYJNE LED / DECORATIVE LED BULBS | 22 |
| ŻARÓWKI LED KRYSZTAŁ / CRYSTAL LED BULBS | 23 |
| ŻARÓWKI DEKORACYJNE LED / DECORATIVE LED BULBS | 23 |
| OCZKA SUFITOWE / DOWNLIGHT SET | 24 |
| OCZKA SUFITOWE / DOWNLIGHT SET | 25 |
| OPRAWY SUFITOWE BIMA / BIMA CEILING FIXTURES | 26 |
| LAMPKI ZASILANE ~230V / POWER LIGHTS ~230V | 27 |
| LAMPKI ZASILANE BATERIAMI / BATTERY LIGHTS | 27 |
| OPRAWY SCHODOWE LED / DECORATIVE LED STAIRCASES | 28 |
| OPRAWY SCHODOWE LED +PIR / DECORATIVE LED STAIRCASES +PIR | 29 |
| NEONY LED I AKCESORIA / LED NEONS & ACCESORIES | 30 |
| SZYNOPRZEWODY 1-OBWODOWE / TRACK LIGHT 1-CIRCUIT | 31 |
| AKCESORIA 1-OBWODOWE / ACCESSORIES 1-CIRCUIT | 32 |
| SZYNOPRZEWODY 3-OBWODOWE / TRACK LIGHT 3-CIRCUIT | 32 |
| AKCESORIA 3-OBWODOWE ACCESSORIES 3-CIRCUIT | 33 |
| SZYNOPRZEWODY MAGNETYCZNE + AKCESORIA / MAGNETIC TRACK LIGHT + ACCESSORIES | 34 |
| ZESTAWY TRACK LIGHT / TRACK LIGHT SETS | 35 |
| PLAFONY LED / CEILING LED FIXTURES | 36 |
| PLAFONY LED + PLAFONY LED PIR / CEILING LED FIXTURES + CEILING PIR LED FIXTURES | 37 |
| LAMPY OGRODOWE / GARDEN LAMPS | 38 |
| LAMPY OGRODOWE / GARDEN LAMPS | 39 |
| GIRLANDY / GARLANDS | 40 |
| GIRLANDY / GARLANDS | 41 |
| LAMPY SOLARNE BUTTERFLY / BUTTERFLY SOLAR LAMPS | 42 |
| LAMPY SOLARNE DROGOWE / SOLAR STREET LIGHTS | 43 |
| LAMPY SOLARNE / SOLAR LIGHTS | 44 |
| LAMPY SOLARNE / SOLAR LIGHTS | 45 |
| NARZĘDZIA RĘCZNE / HAND TOOLS | 46 |
| NARZĘDZIA RĘCZNE / HAND TOOLS | 47 |
| INSTRUKCJA ŁĄCZENIA TRACK LIGHT 3-OBWODOWY / USER MANUAL TRACK LIGHT 3-CIRCUIT | 48 |
| NOTATKI / NOTES | 49 |
| SPIS TREŚCI / TABLE OF CONTENT | 50 |

PRZEWODNIK GUIDE

| | |
|--|----------------------------|
| OŚWIETLENIE TECHNICZNE TECHNICAL LIGHTING | WARSZTAT WORKSHOP TOOLS |
| OŚWIETLENIE OGRODOWE GARDEN LIGHTING | NOTATKI NOTES |

| | | | |
|------------------|-----------------------------|---------------------|------------------|
| Mode: R/G/B | (IP) Internal Protection | Twilight Sensor | Motion Sensor |
| Solar Loading | Solar Panel Builded | USB Connection | LED Cutttable |
| App Operated | WIFI Connection | Timer/ Countdown | Voice Control |
| YES Dimmable | Scene Setting | Share Control | |



KONTAKT / CONTACT

EKO-LIGHT Sp. z o.o. Sp. k.
ul. Pascala 19
42-209 Częstochowa
POLAND



www.eko-light.com
www.b2b.eko-light.com

biuro@eko-light.com

+48 666 503 333

The lighting experts

Your Distributor



Republic
of Poland



European Union
European Regional
Development Fund

